


SPECIAL TOOL CATALOGUE 2021



This catalog shows the special tools for model years 2014 to 2021 (Offroad up to 2022).



Info

Tools in respect of which no information on their use is provided are optional tools.

The information contained in this catalog was current at the time of going to print. However, minor differences due to further developments in design cannot be ruled out completely. It is planned to update the catalog twice a year in future.

Husqvarna Motorcycles GmbH specifically reserves the right to modify or delete technical specifications, prices, colors, shapes, materials, services, designs, equipment, etc., without prior notice and without specifying reasons, to adapt these to local conditions, as well as to stop production of a particular tool without prior notice. Husqvarna accepts no liability for delivery options, deviations from figures and descriptions, as well as misprints and other errors.

© 2021 Husqvarna Motorcycles GmbH, Mattighofen Austria

All rights reserved

Reproduction, even in part, as well as copying of all kinds, is permitted only with the express written permission of the copyright owner.



ISO 9001(12 100 6061)

Husqvarna Motorcycles applies quality assurance processes that lead to the highest possible product quality as defined in the ISO 9001 international quality management standard.

Issued by: TÜV-Management Service

REG.NO. 12 100 6061

Husqvarna Motorcycles GmbH
Stallhofnerstraße 3
5230 Mattighofen, Austria




3403044en

21.10.2021

1	XC_2.....	3	19	FORK.....	119
	1.1 Overview	3		19.1 Wall tool organizer overview	119
2	ELECTRICAL SYSTEM / DIAGNOSIS	13	20	SHOCK ABSORBER	142
	2.1 Overview	13		20.1 Overview	142
	2.2 Wall tool organizer overview	18		20.2 Wall tool organizer overview	142
3	BLEEDER TOOL.....	19	21	PANELS & ACCESSORIES	154
	3.1 Overview	19	22	Product category: Husqvarna	160
	3.2 Wall tool organizer overview	20			
4	ENGINE FIXING ARM.....	30			
	4.1 Overview	30			
	4.2 Wall tool organizer overview	30			
5	SUPPORT TOOL	37			
	5.1 Wall tool organizer overview	37			
6	MEASURING TOOL & SETTING GAUGE.....	47			
	6.1 Overview	47			
	6.2 Wall tool organizer overview	48			
7	EXTRACTOR TOOL.....	57			
	7.1 Wall tool organizer overview	57			
8	PROTECTING SLEEVES & PROTECTION CAPS.....	67			
	8.1 Wall tool organizer overview	67			
9	LIFT AND WORK STAND	71			
	9.1 Overview	71			
10	PLIERS	75			
	10.1 Wall tool organizer overview	75			
11	SPARK PLUG WRENCH	80			
	11.1 Wall tool organizer overview	80			
12	GROOVE NUT WRENCH	81			
	12.1 Wall tool organizer overview	81			
13	CRANKSHAFT PRESSING TOOL	82			
	13.1 Overview	82			
14	PISTON TOOL.....	95			
	14.1 Wall tool organizer overview	95			
15	TRANSMISSION TOOL	98			
	15.1 Wall tool organizer overview	98			
16	VALVE AND TIMING TOOL	100			
	16.1 Overview	100			
	16.2 Wall tool organizer overview	100			
17	PRESSING TOOL	106			
	17.1 Wall tool organizer overview	106			
18	OTHER TOOLS.....	114			
	18.1 Overview	114			
	18.2 Wall tool organizer overview	114			

1.1 Overview



Diagnostics adapter cable (00029094033) (p. 3)

XC_2 (00029XC2) (p. 3)

Diagnostics tablet (00029XC2001) (p. 4)

Hand strap (00029XC2002) (p. 5)

Battery charger (00029XC2003) (p. 5)

VCI (00029XC2004) (p. 6)

VCI attachment (00029XC2005) (p. 6)

Protective film (00029XC2006) (p. 7)

Diagnostics cable extension (00029XC2007) (p. 7)

USB cable (00029XC2008) (p. 8)

12-V power supply cable (00029XC2009) (p. 8)

RideRecorder trigger (00029XC2010) (p. 9)

Case (00029XC2011) (p. 10)


Docking station (00029XC2012) (p. 10)

Wall attachment (00029XC2013) (p. 11)

Battery (00029XC2014) (p. 11)

Input stylus (00029XC2015) (p. 11)

00029094033 Diagnostics adapter cable



00029094033

Description/example of use

Diagnostics adapter cable for connecting the VCI to a standardized Euro 5 diagnostics connector

Technical data

Length approx.: 25.8 cm (10.16 in)

for use with

00029XC2

used with model

Mini Electric

SVARTPILEN 125

SVARTPILEN 200

SVARTPILEN 250

VITPILEN 401 2020


VITPILEN 401 2021

SVARTPILEN 401 2020

SVARTPILEN 401 2021

Spare parts

00029XC2 XC_2



00029XC2

Description/example of use

XC_2 professional workshop information and diagnostics system as a set

used with model

Mini Electric

MX1 4 stroke

MX2 4 stroke

TE 150 2020

TE 150 2021

TE 150 2022

Enduro E1 4 stroke

TE 250i EU 2018

TE 250i US 2018

TE 250i 2019

TE 250i 2020

TE 250i 2021

matching tools / articles are

00029XC2001 (Scope of supply)

00029XC2002 (Scope of supply)

00029XC2003 (Scope of supply)

00029XC2004 (Scope of supply)

00029XC2005 (Scope of supply)

00029XC2007 (Scope of supply)

00029XC2008 (Scope of supply)

00029XC2009 (Scope of supply)


00029XC2010 (Scope of supply)



00029XC2011 (Scope of supply)



00029XC2012 (Scope of supply)




00029XC2013 (Scope of supply)


00029XC2 XC_2				
	TE 250i 2022	00029XC2014 (Scope of supply)		
	Enduro E2 4 stroke	00029XC2015 (Scope of supply)		
	TE 300i 2019	00029094033 (Scope of supply)		
	TE 300i 2020			
	TE 300i 2021			
	TE 300i 2022			
	Enduro E3 4 stroke			
	Rally			
	TX 300i 2020			
	TX 300i 2021			
	TX 300i 2022			
	Street			
	Service	☒	Repair	☐
			optional	☐


00029XC2001 Diagnostics tablet	
 00029XC2001	Description/example of use
	Getac F110 diagnostics tablet with software for vehicle diagnostics
	for use with
	00029XC2
	used with model
	Mini Electric
	MX1 4 stroke
	MX2 4 stroke
	TE 150 2020
	TE 150 2021
	TE 150 2022
	Enduro E1 4 stroke
	TE 250i EU 2018
	TE 250i US 2018
TE 250i 2019	
TE 250i 2020	
TE 250i 2021	
TE 250i 2022	
Enduro E2 4 stroke	
TE 300i 2019	
TE 300i 2020	
TE 300i 2021	
TE 300i 2022	
Enduro E3 4 stroke	
Rally	
TX 300i 2020	
TX 300i 2021	
TX 300i 2022	
Street	
Spare parts	


00029XC2002 Hand strap		
 00029XC2002	Description/example of use Handle for diagnostics tablet for use with 00029XC2 used with model Mini Electric MX1 4 stroke MX2 4 stroke TE 150 2020 TE 150 2021 TE 150 2022 Enduro E1 4 stroke TE 250i EU 2018 TE 250i US 2018 TE 250i 2019 TE 250i 2020 TE 250i 2021 TE 250i 2022 Enduro E2 4 stroke TE 300i 2019 TE 300i 2020 TE 300i 2021 TE 300i 2022 Enduro E3 4 stroke Rally TX 300i 2020 TX 300i 2021 TX 300i 2022 Street	
	Spare parts	
00029XC2003 Battery charger		
 00029XC2003	Description/example of use Battery charger and power supply unit for Getac F110 diagnostics tablet for use with 00029XC2 used with model Mini Electric MX1 4 stroke MX2 4 stroke TE 150 2020 TE 150 2021 TE 150 2022 Enduro E1 4 stroke TE 250i EU 2018 TE 250i US 2018 TE 250i 2019 TE 250i 2020 TE 250i 2021 TE 250i 2022 Enduro E2 4 stroke TE 300i 2019 TE 300i 2020	

00029XC2003 Battery charger	
	TE 300i 2021 TE 300i 2022 Enduro E3 4 stroke Rally TX 300i 2020 TX 300i 2021 TX 300i 2022 Street Spare parts
00029XC2004 VCI	
 00029XC2004	Description/example of use The Vehicle Communication Interface (VCI) is connected to the diagnostics connector of the vehicle and the diagnostics tablet for use with 00029XC2 used with model Mini Electric MX1 4 stroke MX2 4 stroke TE 150 2020 TE 150 2021 TE 150 2022 Enduro E1 4 stroke TE 250i EU 2018 TE 250i US 2018 TE 250i 2019 TE 250i 2020 TE 250i 2021 TE 250i 2022 Enduro E2 4 stroke TE 300i 2019 TE 300i 2020 TE 300i 2021 TE 300i 2022 Enduro E3 4 stroke Rally TX 300i 2020 TX 300i 2021 TX 300i 2022 Street Spare parts
00029XC2005 VCI attachment	
 00029XC2005	Description/example of use Attachment for the VCI including an attachment for the fuel tank for use with 00029XC2 used with model Mini Electric MX1 4 stroke MX2 4 stroke TE 150 2020



00029XC2005 VCI attachment			
	TE 150 2021		
	TE 150 2022		
	Enduro E1 4 stroke		
	TE 250i EU 2018		
	TE 250i US 2018		
	TE 250i 2019		
	TE 250i 2020		
	TE 250i 2021		
	TE 250i 2022		
	Enduro E2 4 stroke		
	TE 300i 2019		
	TE 300i 2020		
	TE 300i 2021		
	TE 300i 2022		
	Enduro E3 4 stroke		
	Rally		
	TX 300i 2020		
	TX 300i 2021		
TX 300i 2022			
Street			
Spare parts			
00029XC2006 Protective film			
	Description/example of use		
	Protective film for the touchscreen of the Getac F110 diagnostics tablet		
00029XC2006	Service	☐	Repair
		☐	optional
		☒	
00029XC2007 Diagnostics cable extension			
	Description/example of use		
	Extension cables between VCI and diagnostic connector on the vehicle		
00029XC2007	Technical data		for use with
	Length approx.: 1.15 m (3.77 ft)		00029XC2
	used with model		
	Mini Electric		
	MX1 4 stroke		
	MX2 4 stroke		
	TE 150 2020		
	TE 150 2021		
	TE 150 2022		
	Enduro E1 4 stroke		
	TE 250i EU 2018		
	TE 250i US 2018		
	TE 250i 2019		
	TE 250i 2020		
	TE 250i 2021		
	TE 250i 2022		
	Enduro E2 4 stroke		
	TE 300i 2019		

00029XC2007 Diagnostics cable extension	
	TE 300i 2020 TE 300i 2021 TE 300i 2022 Enduro E3 4 stroke Rally TX 300i 2020 TX 300i 2021 TX 300i 2022 Street Spare parts
00029XC2008 USB cable	
 00029XC2008	Description/example of use USB cable type A to ODU MINI-SNAP Series L (diagnostics tablet to VCI) Technical data for use with Length approx.: 5 m (16 ft) 00029XC2 used with model Mini Electric MX1 4 stroke MX2 4 stroke TE 150 2020 TE 150 2021 TE 150 2022 Enduro E1 4 stroke TE 250i EU 2018 TE 250i US 2018 TE 250i 2019 TE 250i 2020 TE 250i 2021 TE 250i 2022 Enduro E2 4 stroke TE 300i 2019 TE 300i 2020 TE 300i 2021 TE 300i 2022 Enduro E3 4 stroke Rally TX 300i 2020 TX 300i 2021 TX 300i 2022 Street Spare parts
00029XC2009 12-V power supply cable	
 00029XC2009	Description/example of use External power supply for the VCI for vehicles without 12-V battery and for flashing of specific control units for use with 00029XC2 used with model Mini Electric MX1 4 stroke MX2 4 stroke

00029XC2009 12-V power supply cable	
	TE 150 2020
	TE 150 2021
	TE 150 2022
	Enduro E1 4 stroke
	TE 250i EU 2018
	TE 250i US 2018
	TE 250i 2019
	TE 250i 2020
	TE 250i 2021
	TE 250i 2022
	Enduro E2 4 stroke
	TE 300i 2019
	TE 300i 2020
	TE 300i 2021
	TE 300i 2022
	Enduro E3 4 stroke
	Rally
	TX 300i 2020
	TX 300i 2021
	TX 300i 2022
	Street
Spare parts	

00029XC2010 RideRecorder trigger	
	Description/example of use
	Tip switch for triggering a marker while recording measurement data
	for use with
	00029XC2
	used with model
	Mini Electric
	MX1 4 stroke
	MX2 4 stroke
	TE 150 2020
	TE 150 2021
	TE 150 2022
	Enduro E1 4 stroke
	TE 250i EU 2018
	TE 250i US 2018
	TE 250i 2019
	TE 250i 2020
	TE 250i 2021
	TE 250i 2022
	Enduro E2 4 stroke
	TE 300i 2019
	TE 300i 2020
	TE 300i 2021
	TE 300i 2022
	Enduro E3 4 stroke
	Rally
	TX 300i 2020

00029XC2010 RideRecorder trigger	
	TX 300i 2021 TX 300i 2022 Street Spare parts
00029XC2011 Case	
 00029XC2011	Description/example of use Case including inlay for storing the VCI and all cables and adapters for diagnosis for use with 00029XC2 used with model Mini Electric MX1 4 stroke MX2 4 stroke TE 150 2020 TE 150 2021 TE 150 2022 Enduro E1 4 stroke TE 250i EU 2018 TE 250i US 2018 TE 250i 2019 TE 250i 2020 TE 250i 2021 TE 250i 2022 Enduro E2 4 stroke TE 300i 2019 TE 300i 2020 TE 300i 2021 TE 300i 2022 Enduro E3 4 stroke Rally TX 300i 2020 TX 300i 2021 TX 300i 2022 Street Spare parts
00029XC2012 Docking station	
 00029XC2012	Description/example of use Docking station for the Getac F110 diagnostics tablet for use with 00029XC2 Spare parts

00029XC2013 Wall attachment	
 00029XC2013	Description/example of use Device for securing on the wall for use with 00029XC2
	Spare parts
00029XC2014 Battery	
 00029XC2014	Description/example of use Battery for the Getac F110 diagnostics tablet for use with 00029XC2 used with model Mini Electric MX1 4 stroke MX2 4 stroke TE 150 2020 TE 150 2021 TE 150 2022 Enduro E1 4 stroke TE 250i EU 2018 TE 250i US 2018 TE 250i 2019 TE 250i 2020 TE 250i 2021 TE 250i 2022 Enduro E2 4 stroke TE 300i 2019 TE 300i 2020 TE 300i 2021 TE 300i 2022 Enduro E3 4 stroke Rally TX 300i 2020 TX 300i 2021 TX 300i 2022 Street
	Spare parts
00029XC2015 Input stylus	
 00029XC2015	Description/example of use Stylus for input via the touch screen of the Getac F110 diagnostics tablet for use with 00029XC2 used with model Mini Electric MX1 4 stroke MX2 4 stroke TE 150 2020 TE 150 2021 TE 150 2022



00029XC2015 Input stylus	
	Enduro E1 4 stroke
	TE 250i EU 2018
	TE 250i US 2018
	TE 250i 2019
	TE 250i 2020
	TE 250i 2021
	TE 250i 2022
	Enduro E2 4 stroke
	TE 300i 2019
	TE 300i 2020
	TE 300i 2021
	TE 300i 2022
	Enduro E3 4 stroke
	Rally
	TX 300i 2020
	TX 300i 2021
	TX 300i 2022
	Street
	Spare parts


[illegible]


Break out box (00029095001) (📖 p. 13)
Adapter and template KHR4 (00029095011) (📖 p. 14)
Adapter and template M3C (00029095013) (📖 p. 14)
Adapter and template KTKS (00029095015) (📖 p. 15)
EU battery charger XCharge-professional (00029095050) (📖 p. 16)
US battery charger XCharge-professional (00029095051) (📖 p. 17)
UK battery charger XCharge-professional (00029095052) (📖 p. 17)



00029095001

Description/example of use		matching tools / articles are
Box with connector board (without adapter and templates) for performing various electrical measurements on the wiring harness		
used with model		
MX1 4 stroke		00029095011
MX2 4 stroke		00029095013
TE 150 2020		00029095015
TE 150 2021		
TE 150 2022		
Enduro E1 4 stroke		
TE 250i EU 2018		
TE 250i US 2018		
TE 250i 2019		
TE 250i 2020		
TE 250i 2021		
TE 250i 2022		
Enduro E2 4 stroke		
TE 300i EU 2018		
TE 300i 2019		
TE 300i 2020		
TE 300i 2021		
TE 300i 2022		
Enduro E3 4 stroke		
Rally		
Cross Country E2		
TX 300i 2020		
TX 300i 2021		
TX 300i 2022		
Supermoto		
Street Enduro		
VITPILEN 701		
SVARTPILEN 701		
Service	☐	optional
Repair	☐	


00029095011 Adapter and template KHR4			
 00029095011	Description/example of use Adapter cable and template for performing various electrical measurements on the wiring harness		
	for use with 00029095001 used with model 701 ENDURO 2016 701 ENDURO 2017 701 ENDURO 2018 701 ENDURO 2019 701 ENDURO 2020 701 SUPERMOTO US 2021 701 ENDURO 2016 701 ENDURO 2017 701 ENDURO 2018 701 ENDURO 2019 701 ENDURO 2020 701 ENDURO US 2021 701 ENDURO LR VITPILEN 701 SVARTPILEN 701		
	Service ☐	Repair ☐	optional ☒
00029095013 Adapter and template M3C			
 00029095013	Description/example of use Adapter cable and template for performing various electrical measurements on the wiring harness		
	for use with 00029095001 used with model TE 150 2020 TE 150 2021 TE 150 2022 TE 250i EU 2018 TE 250i US 2018 TE 250i 2019 TE 250i 2020 TE 250i 2021 TE 250i 2022 TE 300i EU 2018 TE 300i 2019 TE 300i 2020 TE 300i 2021 TE 300i 2022 TX 300i 2020 TX 300i 2021 TX 300i 2022		
	Service ☐	Repair ☐	optional ☒

00029095015 Adapter and template KTKS	
 00029095015	Description/example of use Adapter cable and template for performing various electrical measurements on the wiring harness
	for use with 00029095001 used with model FC 350 2016 FC 350 2017 FC 350 2018 FC 350 2019 FC 350 2020 FC 350 2021 FC 350 2022 FC 450 2016 FC 450 2017 FC 450 2018 FC 450 2019 FC 450 2020 FC 450 2021 FC 450 2022 FC 250 2016 FC 250 2017 FC 250 2018 FC 250 2019 FC 250 2020 FC 250 2021 FC 250 2022 Enduro E1 4 stroke FE 350 2017 FE 350 2018 FE 350 2019 FE 350 2020 FE 350 2021 FE 350 2022 FE 350 S 2017 FE 350 S 2018 FE 350 S 2019 FE 350 S 2020 FE 350 S 2021 FE 350 S 2022 FE 450 2017 FE 450 2018 FE 450 2019 FE 450 2020 FE 450 2021 FE 450 2022 FE 501 2017 FE 501 2018 FE 501 2019 FE 501 2020 FE 501 2021 FE 501 2022

00029095015 Adapter and template KTKS			
	FE 501 S 2017		
	FE 501 S 2018		
	FE 501 S 2019		
	FE 501 S 2020		
	FE 501 S 2021		
	FE 501 S 2022		
	Rally		
	Cross Country E2		
	701 SUPERMOTO EU 2021		
	FS 450 2016		
	FS 450 2017		
	FS 450 2018		
	FS 450 2019		
	FS 450 2020		
	FS 450 2021		
	FS 450 2022		
	701 ENDURO EU 2021		
	Service	☐	Repair
00029095050 EU battery charger XCharge-professional			
	Description/example of use		
	Specially designed battery charger for the correct charging of various 12-V batteries (acid, AGM and lithium-ion), backup operation with diagnosis and flash operations, refresh function at deep discharge, initial charge for the activation of dry batteries, the software can be updated using a dongle		
	Technical data		
	EU safety plug		
	Nominal voltage: 230 V		
	Mains fuse: 16 A		
	Power cable length approx.: 5 m (16 ft)		
	Charger cable length approx.: 5 m (16 ft)		
	used with model		
	Mini Electric		
	MX1 4 stroke		
	MX2 4 stroke		
	TE 150		
	Enduro E1 4 stroke		
	Enduro E2		
	Enduro E3		
	Rally		
	Cross Country		
Street			
alternative tools			
00029095051			
00029095052			
Service	☒	Repair	☐ optional ☐

00029095051 US battery charger XCharge-professional			
	Description/example of use Specially designed battery charger for the correct charging of various 12-V batteries (acid, AGM and lithium-ion), backup operation with diagnosis and flash operations, refresh function at deep discharge, initial charge for the activation of dry batteries, the software can be updated using a dongle		
	Technical data US plug Nominal voltage: 120 V Mains fuse: 32 A Power cable length approx.: 5 m (16 ft) Charger cable length approx.: 5 m (16 ft)		
	used with model Mini Electric MX1 4 stroke MX2 4 stroke TE 150 Enduro E1 4 stroke Enduro E2 Enduro E3 Rally Cross Country Street		
	alternative tools 00029095050 00029095052		
	Service ☒	Repair ☐	optional ☐
00029095052 UK battery charger XCharge-professional			
	Description/example of use Specially designed battery charger for the correct charging of various 12-V batteries (acid, AGM and lithium-ion), backup operation with diagnosis and flash operations, refresh function at deep discharge, initial charge for the activation of dry batteries, the software can be updated using a dongle		
	Technical data UK safety plug Nominal voltage: 230 V Mains fuse: 16 A Power cable length approx.: 5 m (16 ft) Charger cable length approx.: 5 m (16 ft)		
	used with model Mini Electric MX1 4 stroke MX2 4 stroke TE 150 Enduro E1 4 stroke Enduro E2 Enduro E3 Rally Cross Country Street		
	alternative tools 00029095050 00029095051		
	Service ☒	Repair ☐	optional ☐

2.2 Wall tool organizer overview




Cable connector unlocking kit (00029014000) (p. 18)

Tachometer (45129075000) (p. 18)

Peak voltage adapter (58429042000) (p. 18)

00029014000 Cable connector unlocking kit



00029014000

Description/example of use

Pinout kit including case and crimping pliers for repairing wiring harnesses or replacing the most common connectors

used with model

Husqvarna

Service




Repair



optional



45129075000 Tachometer



45129075000

Description/example of use

Measuring device for checking idle speed

used with model

Mini MX2 stroke

MX

Enduro

Cross Country

Supermoto Competition

Service




Repair



optional



58429042000 Peak voltage adapter



58429042000

Description/example of use

Tool for connection to a commercially available multimeter, for checking ignition components

used with model

Mini MX2 stroke

MX1 2 stroke

MX2 2 stroke

Enduro E1 2 stroke

Enduro E2 2 stroke

Enduro E3 2 stroke

Cross Country E3

Service




Repair



optional




3.1 Overview



Bleeding device (00029013100) (p. 19)

00029013100 Bleeding device



00029013100

Description/example of use

Tool for servicing hydraulic brake systems

used with model


Mini
MX
TE 125
TE 150 2017
TE 150 2018
TE 150 2019
TE 150 2020
TE 150 2021
TX 125
FE 250 2014
FE 250 2015
FE 250 2016
FE 250 2017
FE 250 2018
FE 250 2019
FE 250 2020
FE 250 2021
TE 250 2014
TE 250 2015
TE 250 2016
TE 250 2017
TE 250 2018
TE 250i 2019
TE 250i 2020
TE 250i 2021
FE 350 2014
FE 350 2015
FE 350 2016
FE 350 2017
FE 350 2018
FE 350 2019
FE 350 2020
FE 350 2021
FE 350 S 2015
FE 350 S 2016
FE 350 S 2017
FE 350 S 2018
FE 350 S 2019

matching tools / articles are

00029013002
00029013004
00029013005
00029013006
00029013009
00029013012
00029013013
00029013014
00029013015
00029013018
00029013019
00029013020
00029013023

00029013100 Bleeding device			
	FE 350 S 2020		
	FE 350 S 2021		
	FE 450 2014		
	FE 450 2015		
	FE 450 2016		
	FE 450 2017		
	FE 450 2018		
	FE 450 2019		
	FE 450 2020		
	FE 450 2021		
	TE 300 2014		
	TE 300 2015		
	TE 300 2016		
	TE 300 2017		
	TE 300 2018		
	TE 300i 2019		
	TE 300i 2020		
	TE 300i 2021		
	FE 501 2014		
	FE 501 2015		
	FE 501 2016		
	FE 501 2017		
	FE 501 2018		
	FE 501 2019		
	FE 501 2020		
	FE 501 2021		
	FE 501 S 2015		
	FE 501 S 2016		
	FE 501 S 2017		
	FE 501 S 2018		
	FE 501 S 2019		
	FE 501 S 2020		
	FE 501 S 2021		
	Rally		
	Cross Country		
	Street		
	Service	☒	Repair
			☐
			optional
			☐

3.2 Wall tool organizer overview



Bleeder cover (00029013002) (p. 21)

Bleeder cover (00029013004) (p. 21)

Bleeder cover (00029013005) (p. 21)

Bleeder cover (00029013006) (p. 22)

Bleeder cover (00029013009) (p. 23)

Bleeder cover (00029013012) (p. 23)

Bleeder cover (00029013013) (p. 23)

Bleeder cover (00029013014) (p. 24)




Bleeder cover (00029013015) (p. 24)



Bleeder cover (00029013018) (p. 24)





Bleeder cover (00029013019) (p. 24)


Bleeder cover (00029013020) (p. 25)

Bleeder cover (00029013023) (p. 27)






00029013002 Bleeder cover			
 00029013002	Description/example of use Adapter for hand or foot brake cylinder, for filling or bleeding the brake system for use with 00029013100 used with model Supermoto Competition matching tools / articles are 00029013002-02 (Scope of supply)		
	Service	☒	Repair optional
00029013004 Bleeder cover			
 00029013004	Description/example of use Adapter for hand or foot brake cylinder, for filling or bleeding the brake system for use with 00029013100 used with model Rally Supermoto / Dual Sport Street Enduro Naked Mid matching tools / articles are 00029013004-02 (Scope of supply)		
	Service	☒	Repair optional
00029013005 Bleeder cover			
 00029013005	Description/example of use Adapter for hand or foot brake cylinder, for filling or bleeding the brake system for use with 00029013100 used with model MX TE 125 TE 150 2017 TX 125 2017 FE 250 2014 FE 250 2015 FE 250 2016 FE 250 2017 TE 250 2014 TE 250 2015 TE 250 2016 TE 250 2017 FE 350 2014 FE 350 2015 FE 350 2016 FE 350 2017 FE 350 S 2015 FE 350 S 2016 FE 350 S 2017 FE 450 2014 FE 450 2015 FE 450 2016 FE 450 2017 TE 300 2014 matching tools / articles are 00029013005-01 (Scope of supply)		
	Service	☒	Repair optional





00029013006 Bleeder cover			
	FE 501 2016 FE 501 2017 FE 501 S 2015 FE 501 S 2016 FE 501 S 2017 Rally Cross Country E2 TX 300 2017 TX 300 2018 TX 300 2019 TX 300i 2022 Supermoto Competition		
	Service	☒	Repair optional ☐
00029013009 Bleeder cover			
 00029013009	Description/example of use Adapter for hand or foot brake cylinder, for filling or bleeding the brake system for use with 00029013100 used with model Naked Small matching tools / articles are 00029013009-01 (Scope of supply)		
	Service	☒	Repair optional ☐
00029013012 Bleeder cover			
 00029013012	Description/example of use Adapter for hand or foot brake cylinder, for filling or bleeding the brake system for use with 00029013100 used with model Mini matching tools / articles are 00029013012-01 (Scope of supply)		
	Service	☒	Repair optional ☐
00029013013 Bleeder cover			
 00029013013	Description/example of use Adapter for hand or foot brake cylinder, for filling or bleeding the brake system for use with 00029013100 used with model TC 50 Mini Electric matching tools / articles are 00029013013-01 (Scope of supply)		
	Service	☒	Repair optional ☐

00029013014 Bleeder cover			
 00029013014	Description/example of use Adapter for hand or foot brake cylinder, for filling or bleeding the brake system for use with 00029013100 used with model Naked Small matching tools / articles are 00029013014-02 (Scope of supply)		
	Service	☒	Repair optional ☐
00029013015 Bleeder cover			
 00029013015	Description/example of use Adapter for hand or foot brake cylinder, for filling or bleeding the brake system for use with 00029013100 used with model Supermoto / Dual Sport Street Enduro SVARTPILEN 701 SVARTPILEN 701 STYLE 2019 matching tools / articles are 00029013015-01 (Scope of supply)		
	Service	☒	Repair optional ☐
00029013018 Bleeder cover			
 00029013018	Description/example of use Adapter for hand or foot brake cylinder, for filling or bleeding the brake system for use with 00029013100 used with model TC 65 TC 85 2014 TC 85 2015 TC 85 2016 TC 85 2017 TC 85 2018 TC 85 2019 TC 85 2020 matching tools / articles are 00029013018-01 (Scope of supply)		
	Service	☒	Repair optional ☐
00029013019 Bleeder cover			
 00029013019	Description/example of use Adapter for hand or foot brake cylinder, for filling or bleeding the brake system for use with 00029013100 used with model FC 350 2021 FC 450 2021 TE 150 2018 TE 150 2019 TE 150 2020 TE 150 2021 TX 125 2018 TX 125 2019 FE 250 2018 FE 250 2019 matching tools / articles are 00029013019-01 (Scope of supply)		
	Service	☒	Repair optional ☐


00029013019 Bleeder cover			
	FE 250 2020		
	FE 250 2021		
	TE 250 2018		
	TE 250i 2019		
	TE 250i 2020		
	TE 250i 2021		
	FE 350 2018		
	FE 350 2019		
	FE 350 2020		
	FE 350 2021		
	FE 350 S 2018		
	FE 350 S 2019		
	FE 350 S 2020		
	FE 350 S 2021		
	FE 450 2018		
	FE 450 2019		
	FE 450 2020		
	FE 450 2021		
	TE 300 2018		
	TE 300i 2019		
	TE 300i 2020		
	TE 300i 2021		
	FE 501 2018		
	FE 501 2019		
	FE 501 2020		
	FE 501 2021		
	FE 501 S 2018		
	FE 501 S 2019		
	FE 501 S 2020		
	FE 501 S 2021		
	FX 350 2018		
	FX 350 2019		
	FX 350 2020		
	FX 350 2021		
	FX 450 2018		
	FX 450 2019		
	FX 450 2020		
	FX 450 2021		
	TX 300i 2020		
	TX 300i 2021		
	Service	☒	Repair ☐ optional ☐
00029013020 Bleeder cover			
 00029013020	Description/example of use		
	Adapter for hand or foot brake cylinder, for filling or bleeding the brake system		
	for use with		
	00029013100		
	used with model		
	matching tools / articles are		
	00029013020-02 (Scope of supply)		
	FC 350 2021		
	FC 450 2021		
	TE 150 2018		
	TE 150 2019		
	TE 150 2020		

00029013020 Bleeder cover			
	TE 150 2021		
	TX 125 2018		
	TX 125 2019		
	FE 250 2018		
	FE 250 2019		
	FE 250 2020		
	FE 250 2021		
	TE 250 2018		
	TE 250i 2019		
	TE 250i 2020		
	TE 250i 2021		
	FE 350 2018		
	FE 350 2019		
	FE 350 2020		
	FE 350 2021		
	FE 350 S 2018		
	FE 350 S 2019		
	FE 350 S 2020		
	FE 350 S 2021		
	FE 450 2018		
	FE 450 2019		
	FE 450 2020		
	FE 450 2021		
	TE 300 2018		
	TE 300i 2019		
	TE 300i 2020		
	TE 300i 2021		
	FE 501 2018		
	FE 501 2019		
	FE 501 2020		
	FE 501 2021		
	FE 501 S 2018		
	FE 501 S 2019		
	FE 501 S 2020		
	FE 501 S 2021		
	FX 350 2018		
	FX 350 2019		
	FX 350 2020		
	FX 350 2021		
	FX 450 2018		
	FX 450 2019		
	FX 450 2020		
	FX 450 2021		
	TX 300i 2020		
	TX 300i 2021		
Service		☒	
Repair		☐	
optional		☐	

00029013009-01 Spare part, bleeder cover	
 00029013009	Description/example of use Spare part for the bleeder cover (1x gasket) for use with 00029013009
	Spare parts
00029013012-01 Spare part, bleeder cover	
 00029013012	Description/example of use Spare parts for the bleeder cover (1x gasket, 2x O-rings) for use with 00029013012
	Spare parts
00029013013-01 Spare part, bleeder cover	
 00029013013	Description/example of use Spare part for the bleeder cover (1x gasket) for use with 00029013013
	Spare parts
00029013014-02 Spare part, bleeder cover	
 00029013014	Description/example of use Spare parts for the bleeder cover (1x gasket, 2x O-rings) for use with 00029013014
	Spare parts
00029013015-01 Spare part, bleeder cover	
 00029013015	Description/example of use Spare part for the bleeder cover (1x gasket) for use with 00029013015
	Spare parts


00029013018-01 Spare part, bleeder cover	
 00029013018	Description/example of use Spare part for the bleeder cover (1x gasket) for use with 00029013018
	Spare parts
00029013019-01 Spare part, bleeder cover	
 00029013019	Description/example of use Spare part for the bleeder cover (1x gasket) for use with 00029013019
	Spare parts
00029013020-02 Spare part, bleeder cover	
 00029013020	Description/example of use Spare parts for the bleeder cover (1x gasket, 2x O-rings) for use with 00029013020
	Spare parts
00029013023-02 Spare part, bleeder cover	
 00029013023	Description/example of use Spare parts for the bleeder cover (1x gasket, 2x O-rings) for use with 00029013023
	Spare parts

4.1 Overview



Engine work stand (61229001000) (📖 p. 30)

61229001000 Engine work stand



61229001000

Description/example of use

Tool (including chassis, crank rotation mechanism, oil pan, and engine bracket) for mounting the removed engine

used with model

Mini MX2 stroke
MX
Enduro E1
Enduro E2
Enduro E3
Cross Country
Street

matching tools / articles are

45229001060
45229001070
46229001060
46229001070
47229002020
50429002020
55429002000
56029002000
56029002020
56029002030
75012001060
75012001070
77229002000
78029002000
79229002000
79429002000
90129002000

Service




Repair



optional



4.2 Wall tool organizer overview



Fitting for work stand (45229001060) (📖 p. 31)

Holder for the engine work stand (45229001070) (📖 p. 31)

Fitting for work stand (46229001060) (📖 p. 31)

Holder for the engine work stand (46229001070) (📖 p. 31)

Holder for the engine work stand (47229002020) (📖 p. 32)

Holder for the motor work stand (50429002020) (📖 p. 32)

Holder and fitting for work stand (55429002000) (📖 p. 32)

Holder for the motor work stand (56029002000) (📖 p. 33)

Holder for the motor work stand (56029002020) (📖 p. 33)

Holder for the motor work stand (56029002030) (📖 p. 33)

Fitting for work stand (75012001060) (📖 p. 33)

Holder for the engine work stand (75012001070) (📖 p. 34)





Holder and fitting for work stand (77229002000) (📖 p. 34)




Holder and fitting for work stand (78029002000) (📖 p. 34)





Holder and fitting for work stand (79229002000) (📖 p. 35)




Holder and fitting for work stand (79429002000) (p. 35)



Holder and fitting for work stand (90129002000) (p. 36)


45229001060 Fitting for work stand			
 45229001060	Description/example of use Tool for securing the removed engine on the engine work stand for use with 61229001000 used with model TC 50		
	Service	☐	Repair ☒ optional ☐
45229001070 Holder for the engine work stand			
 45229001070	Description/example of use Tool for securing the removed engine on the engine work stand for use with 61229001000 used with model TC 50		
	Service	☐	Repair ☒ optional ☐
46229001060 Fitting for work stand			
 46229001060	Description/example of use Tool for securing the removed engine on the engine work stand for use with 61229001000 used with model TC 65 TC 85 2014 TC 85 2015 TC 85 2016 TC 85 2017		
	Service	☐	Repair ☒ optional ☐
46229001070 Holder for the engine work stand			
 46229001070	Description/example of use Tool for securing the removed engine on the engine work stand for use with 61229001000 used with model TC 65 TC 85 2014 TC 85 2015 TC 85 2016 TC 85 2017		
	Service	☐	Repair ☒ optional ☐

47229002020 Holder for the engine work stand			
 47229002020	Description/example of use Tool for securing the removed engine on the engine work stand for use with 61229001000 used with model TC 85 2018 TC 85 2019 TC 85 2020 TC 85 2021 TC 85 2022		
	Service	☐	Repair ☒ optional ☐
50429002020 Holder for the motor work stand			
 50429002020	Description/example of use Tool for securing the removed engine on the engine work stand for use with 61229001000 used with model TC 125 2016 TC 125 2017 TC 125 2018 TC 125 2019 TC 125 2020 TC 125 2021 TC 125 2022 TE 150 TX 125		
	Service	☐	Repair ☒ optional ☐
55429002000 Holder and fitting for work stand			
 55429002000	Description/example of use Tool for securing the removed engine on the engine work stand for use with 61229001000 used with model TC 250 2017 TC 250 2018 TC 250 2019 TC 250 2020 TC 250 2021 TC 250 2022 TE 250 2017 TE 250 2018 TE 250i 2019 TE 250i 2020 TE 250i 2021 TE 250i 2022 TE 300 2017 TE 300 2018 TE 300i 2019 TE 300i 2020		
	Service	☐	Repair ☒ optional ☐


55429002000 Holder and fitting for work stand			
	TE 300i 2021 TE 300i 2022 Cross Country E3		
	Service ☐	Repair ☒	optional ☐
56029002000 Holder for the motor work stand			
 56029002000	Description/example of use Tool for securing the removed engine on the engine work stand for use with 61229001000 used with model TC 125 2014 TC 125 2015 TE 125		
	Service ☐	Repair ☒	optional ☐
56029002020 Holder for the motor work stand			
 56029002020	Description/example of use Tool for securing the removed engine on the engine work stand for use with 61229001000 used with model TC 125 2014 TC 125 2015 TE 125		
	Service ☐	Repair ☒	optional ☐
56029002030 Holder for the motor work stand			
 56029002030	Description/example of use Tool for securing the removed engine on the engine work stand for use with 61229001000 used with model TC 250 2014 TC 250 2015 TC 250 2016 TE 250 2014 TE 250 2015 TE 250 2016 TE 300 2014 TE 300 2015 TE 300 2016		
	Service ☐	Repair ☒	optional ☐
75012001060 Fitting for work stand			
 75012001060	Description/example of use Tool for securing the removed engine on the engine work stand for use with 61229001000 used with model Supermoto / Dual Sport Street Enduro Naked Mid		
	Service ☐	Repair ☒	optional ☐

75012001070 Holder for the engine work stand			
 75012001070	Description/example of use Tool for securing the removed engine on the engine work stand for use with 61229001000 used with model Supermoto / Dual Sport Street Enduro Naked Mid		
	Service	☐	Repair ☒ optional ☐
77229002000 Holder and fitting for work stand			
 77229002000	Description/example of use Tool for securing the removed engine on the engine work stand for use with 61229001000 used with model FC 350 2014 FC 350 2015 FC 250 2014 FC 250 2015 FC 250 2020 FC 250 2021 FC 250 2022 Enduro E1 4 stroke FE 350 2014 FE 350 2015 FE 350 2016 FE 350 S 2015 FE 350 S 2016		
	Service	☐	Repair ☒ optional ☐
78029002000 Holder and fitting for work stand			
 78029002000	Description/example of use Tool for securing the removed engine on the engine work stand for use with 61229001000 used with model FC 450 2014 FC 450 2015 FE 450 2014 FE 450 2015 FE 450 2016 FE 501 2014 FE 501 2015 FE 501 2016 FE 501 S 2015 FE 501 S 2016 FS 450 2015		
	Service	☐	Repair ☒ optional ☐

79229002000 Holder and fitting for work stand		
 79229002000	Description/example of use Tool for securing the removed engine on the work stand for use with 61229001000 used with model FC 350 2016 FC 350 2017 FC 350 2018 FC 350 2019 FC 350 2020 FC 350 2021 FC 350 2022 FC 250 2016 FC 250 2017 FC 250 2018 FC 250 2019 FC 250 2020 FC 250 2021 FC 250 2022 FE 250 2017 FE 250 2018 FE 250 2019 FE 250 2020 FE 250 2021 FE 250 2022 FE 350 2017 FE 350 2018 FE 350 2019 FE 350 2020 FE 350 2021 FE 350 2022 FE 350 S 2017 FE 350 S 2018 FE 350 S 2019 FE 350 S 2020 FE 350 S 2021 FE 350 S 2022 FX 350	
	Service	☐ Repair ☒ optional ☐
79429002000 Holder and fitting for work stand		
 79429002000	Description/example of use Tool for securing the removed engine on the engine work stand for use with 61229001000 used with model FC 450 2016 FC 450 2017 FC 450 2018 FC 450 2019 FC 450 2020 FC 450 2021 FC 450 2022	


79429002000 Holder and fitting for work stand			
	FE 450 2017		
	FE 450 2018		
	FE 450 2019		
	FE 450 2020		
	FE 450 2021		
	FE 450 2022		
	FE 501 2017		
	FE 501 2018		
	FE 501 2019		
	FE 501 2020		
	FE 501 2021		
	FE 501 2022		
	FE 501 S 2017		
	FE 501 S 2018		
	FE 501 S 2019		
	FE 501 S 2020		
	FE 501 S 2021		
	FE 501 S 2022		
	FX 450		
	FS 450 2016		
	FS 450 2017		
	FS 450 2018		
	FS 450 2019		
	FS 450 2020		
	FS 450 2021		
	FS 450 2022		
	Service	☐	Repair
			☒
			optional
			☐
90129002000 Holder and fitting for work stand			
2x   90129002000	Description/example of use		
	Tool for securing the removed engine on the engine work stand		
	for use with 61229001000 used with model Naked Small		
	Service	☐	Repair
			☒
			optional
			☐

5.1 Wall tool organizer overview



Locking screw (0113080802) (p. 37)
Holding wrench (45229012000) (p. 37)
Holding wrench (45229050000) (p. 38)
Gear segment (45229081000) (p. 38)
Gear segment (46229081000) (p. 38)
Holding wrench (47029003000) (p. 38)
Holding wrench (47229003000) (p. 38)
Holding wrench (49012003000) (p. 39)
Holding wrench (50329004000) (p. 39)
Support tool (50329038000) (p. 39)
Holding wrench (50429003000) (p. 39)
Holding wrench (50529003000) (p. 39)
Holding wrench (50529012000) (p. 40)
Holding wrench (51129003000) (p. 40)
Holding wrench (54629012200) (p. 41)
Holding wrench (55129001000) (p. 41)
Holding wrench (55429012000) (p. 42)
Gear segment (56012004000) (p. 42)
Holding wrench (59029003100) (p. 42)
Locking screw (61229015000) (p. 42)
Gear segment (75029081000) (p. 43)
Holding wrench (75029091000) (p. 43)
Locking screw (77329010000) (p. 43)
Holding wrench (80029003000) (p. 43)
Gear segment (80029004000) (p. 44)
Holding wrench (90129012000) (p. 44)
Hook wrench (90129051000) (p. 44)
Gear segment (90129081100) (p. 46)

0113080802 Locking screw



113080802

Description/example of use

Tool for securing components (crankshaft in TDC position)

used with model

FC 450

FE 450

Enduro E3 4 stroke

FX 450


Supermoto Competition

Service ☒

Repair ☐

optional ☐

45229012000 Holding wrench



45229012000

Description/example of use

Tool for holding components (rotor)






used with model





TC 50


Service ☐



Repair ☒




optional ☐





45229050000 Holding wrench			
 45229050000	Description/example of use Tool for holding, loosening and tightening components (steering head)		
	used with model TC 50 2017 TC 50 2018 TC 50 2019 TC 50 2020		
	Service ☒	Repair ☐	optional ☐
45229081000 Gear segment			
 45229081000	Description/example of use Tool for holding components (clutch)		
	used with model TC 50		
	Service ☐	Repair ☒	optional ☐
46229081000 Gear segment			
 46229081000	Description/example of use Tool for holding components (clutch)		
	used with model TC 65		
	Service ☐	Repair ☒	optional ☐
47029003000 Holding wrench			
 47029003000	Description/example of use Tool for holding components (clutch, primary gear wheel)		
	used with model TC 85 2014 TC 85 2015 TC 85 2016 TC 85 2017		
	Service ☒	Repair ☐	optional ☐
47229003000 Holding wrench			
 47229003000	Description/example of use Tool for holding components (clutch, primary gear wheel)		
	used with model TC 85 2018 TC 85 2019 TC 85 2020 TC 85 2021 TC 85 2022		
	Service ☒	Repair ☐	optional ☐




49012003000 Holding wrench			
 49012003000	Description/example of use Tool for holding components (clutch)		
	used with model TC 65		
	Service	☒	Repair optional ☐
50329004000 Holding wrench			
 50329004000	Description/example of use Tool for holding components (primary gear wheel)		
	used with model TC 125 2014 TC 125 2015 TE 125		
	Service	☐	Repair optional ☒
50329038000 Support tool			
 50329038000	Description/example of use Tool for holding components (locating drum)		
	used with model TC 125 2014 TC 125 2015 TE 125		
	Service	☒	Repair optional ☐
50429003000 Holding wrench			
 50429003000	Description/example of use Tool for holding components (clutch, primary gear wheel)		
	used with model TC 125 2016 TC 125 2017 TC 125 2018 TE 150 2017 TE 150 2018 TX 125 2017 TX 125 2018		
	Service	☒	Repair optional ☐
50529003000 Holding wrench			
 50529003000	Description/example of use Tool for holding components (clutch, primary gear wheel)		
	used with model TC 125 2019 TC 125 2020 TC 125 2021 TC 125 2022 TE 150 2019		

50529003000 Holding wrench			
	TE 150 2020 TE 150 2021 TE 150 2022 TX 125 2019		
	Service	☒	Repair optional ☐
50529012000 Holding wrench			
 50529012000	Description/example of use Tool for holding components (rotor)		
	used with model TE 150 2019 TE 150 2020 TE 150 2021 TE 150 2022 TX 125 2019		
	Service	☐	Repair optional ☒
51129003000 Holding wrench			
 51129003000	Description/example of use Tool for holding components (clutch)		
	used with model MX1 2 stroke FC 350 2016 FC 350 2017 FC 350 2018 FC 350 2019 FC 350 2020 FC 350 2021 FC 350 2022 FC 450 TC 125 2014 TC 125 2015 MX2 4 stroke TE 125 TE 150 2020 TE 150 2021 TE 150 2022 Enduro E1 4 stroke Enduro E2 Enduro E3 Cross Country FS 450 2018 FS 450 2019 FS 450 2020 FS 450 2021 FS 450 2022 SVARTPILEN 250 VITPILEN 401		

51129003000 Holding wrench			
		SVARTPILEN 401	
		alternative tools 80029003000	
		Service ☒	Repair ☐ optional ☐
54629012200 Holding wrench			
 54629012200		Description/example of use Tool for holding components (clutch,rotor)	
		used with model Mini MX2 stroke MX1 2 stroke MX2 2 stroke TE 125 TE 150 2017 TE 150 2018 TX 125 2017 TX 125 2018 TE 250 2017 TE 250 2018 TE 250i 2019 TE 300 2017 TE 300 2018 TE 300i 2019 TX 300 2017 TX 300 2018 TX 300 2019	
		Service ☐	Repair ☒ optional ☐
55129001000 Holding wrench			
 55129001000		Description/example of use Tool for holding components (rotor)	
		used with model TE 150 2017 TE 150 2018 TE 150 2019 TX 125 TE 250 2014 TE 250 2015 TE 250 2016 TE 300 2014 TE 300 2015 TE 300 2016	
		Service ☐	Repair ☒ optional ☐


55429012000 Holding wrench			
 55429012000	Description/example of use Tool for holding components (rotor)		
	used with model TC 250 2017 TC 250 2018 TC 250 2019 TE 250 2017 TE 250 2018 TE 250i 2019 TE 250i 2020 TE 250i 2021 TE 250i 2022 TE 300 2017 TE 300 2018 TE 300i 2019 TE 300i 2020 TE 300i 2021 TE 300i 2022 Cross Country E3		
	Service ☐	Repair ☒	optional ☐
56012004000 Gear segment			
 56012004000	Description/example of use Tool for holding components (clutch)		
	used with model MX1 2 stroke Enduro E2 2 stroke Enduro E3 2 stroke Cross Country E3		
	Service ☐	Repair ☒	optional ☐
59029003100 Holding wrench			
 59029003100	Description/example of use Tool for holding components (clutch)		
	used with model FC 350 2014 FC 350 2015		
	Service ☒	Repair ☐	optional ☐
61229015000 Locking screw			
 61229015000	Description/example of use Tool for securing components (crankshaft in TDC position)		
	used with model 701 ENDURO 2017 701 ENDURO 2018 701 ENDURO 2019 701 ENDURO 2020 701 ENDURO 2021		

61229015000 Locking screw			
 75029081000		701 ENDURO 2017 701 ENDURO 2018 701 ENDURO 2019 701 ENDURO 2020 701 ENDURO 2021 701 ENDURO LR SVARTPILEN 250 VITPILEN 401 SVARTPILEN 401 Naked Mid	
		Service ☒	Repair ☐ optional ☐
75029081000 Gear segment			
 75029091000		Description/example of use Tool for holding components (clutch) used with model Supermoto / Dual Sport Street Enduro Naked Mid	
		Service ☐	Repair ☒ optional ☐
75029091000 Holding wrench			
 77329010000		Description/example of use Tool for securing components (crankshaft in TDC position) used with model Supermoto / Dual Sport Street Enduro	
		Service ☒	Repair ☐ optional ☐
77329010000 Locking screw			
 80029003000		Description/example of use Tool for holding components (clutch) used with model MX1 MX2 4 stroke Enduro E1 4 stroke Enduro E2 Enduro E3 Rally	


80029003000 Holding wrench			
  80029004000	Cross Country E2 FS 450 2018 FS 450 2019 FS 450 2020 FS 450 2021 FS 450 2022 alternative tools 51129003000		
	Service ☐	Repair ☐	optional ☒
80029004000 Gear segment			
  80029004000	Description/example of use Tool for holding components (clutch) used with model FC 450 FE 450 Enduro E3 4 stroke FX 450 Supermoto Competition		
	Service ☐	Repair ☒	optional ☐
90129012000 Holding wrench			
  90129012000	Description/example of use Tool for securing components (clutch, camshaft) used with model SVARTPILEN 125 SVARTPILEN 200		
	Service ☐	Repair ☒	optional ☐
90129051000 Hook wrench			
  90129051000	Description/example of use Tool for securing components (steering head bearing) used with model TC 85 2018 TC 85 2019 TC 85 2020 TC 85 2021 TC 85 2022 TC 250 2017 TC 250 2018 TC 250 2019 TC 250 2020 TC 250 2021 TC 250 2022 FC 350 2017 FC 350 2018 FC 350 2019 FC 350 2020 FC 350 2021		

90129051000 Hook wrench

FC 350 2022
FC 450 2017
FC 450 2018
FC 450 2019
FC 450 2020
FC 450 2021
FC 450 2022
TC 125 2017
TC 125 2018
TC 125 2019
TC 125 2020
TC 125 2021
TC 125 2022
FC 250 2017
FC 250 2018
FC 250 2019
FC 250 2020
FC 250 2021
FC 250 2022
TE 150
TX 125
FE 250 2017
FE 250 2018
FE 250 2019
FE 250 2020
FE 250 2021
FE 250 2022
TE 250 2017
TE 250 2018
TE 250i 2019
TE 250i 2020
TE 250i 2021
TE 250i 2022
FE 350 2017
FE 350 2018
FE 350 2019
FE 350 2020
FE 350 2021
FE 350 2022
FE 350 S 2017
FE 350 S 2018
FE 350 S 2019
FE 350 S 2020
FE 350 S 2021
FE 350 S 2022
FE 450 2017
FE 450 2018
FE 450 2019
FE 450 2020
FE 450 2021
FE 450 2022
TE 300 2017

90129051000 Hook wrench			
	TE 300 2018		
	TE 300i 2019		
	TE 300i 2020		
	TE 300i 2021		
	TE 300i 2022		
	FE 501 2017		
	FE 501 2018		
	FE 501 2019		
	FE 501 2020		
	FE 501 2021		
	FE 501 2022		
	FE 501 S 2017		
	FE 501 S 2018		
	FE 501 S 2019		
	FE 501 S 2020		
	FE 501 S 2021		
	FE 501 S 2022		
	Cross Country		
	701 ENDURO 2020		
	701 ENDURO 2021		
	FS 450 2017		
	FS 450 2018		
	FS 450 2019		
	FS 450 2020		
	FS 450 2021		
	FS 450 2022		
	701 ENDURO 2020		
	701 ENDURO 2021		
	701 ENDURO LR		
	Naked Small		
	Service	☒	Repair ☐ optional ☐
90129081100 Gear segment			
 90129081100	Description/example of use		
	Tool for holding components (clutch)		
	used with model SVARTPILEN 125 SVARTPILEN 200		
	Service	☐	Repair ☒ optional ☐


6.1 Overview



Torque wrench kit (58429094000) (p. 47)

Fork airpump (79412966100) (p. 47)

58429094000 Torque wrench kit



58429094000

Description/example of use

Torque wrench with various bits in the kit for tightening fittings to tightening torque (spokes)

Technical data

Torque: 3 ... 15 Nm (2.2 ... 11.1 lbf ft)

Open ended bit: 3.9 mm (0.154 in)

Open ended bit: 4.9 mm (0.193 in)

Open ended bit: 5.5 mm (0.217 in)

Open ended bit: 6.0 mm (0.236 in)

Open ended bit: 6.8 mm (0.268 in)

Bit diameter: 5.9 mm (0.232 in)

used with model

Offroad

Supermoto Competition

Service




Repair



optional



79412966100 Fork airpump



79412966100

Description/example of use

Pump for adjusting fork air pressure on the air suspension fork

Technical data

Maximum pressure: 20 bar (290 psi)

Display: Digital pressure gauge

Valve connection: Schrader valve

Units: bar, psi and kg/cm²

Material: Aluminum tube

used with model

TC 50

TC 65

TC 85 2018

TC 85 2019

TC 85 2020

TC 85 2021

TC 85 2022

Mini Electric

TC 250 2017

TC 250 2018

TC 250 2019

TC 250 2020

TC 250 2021


TC 250 2022

FC 350 2017

FC 350 2018

79412966100 Fork airpump			
	FC 350 2019		
	FC 350 2020		
	FC 350 2021		
	FC 350 2022		
	FC 450 2017		
	FC 450 2018		
	FC 450 2019		
	FC 450 2020		
	FC 450 2021		
	FC 450 2022		
	TC 125 2017		
	TC 125 2018		
	TC 125 2019		
	TC 125 2020		
	TC 125 2021		
	TC 125 2022		
	FC 250 2017		
	FC 250 2018		
	FC 250 2019		
	FC 250 2020		
	FC 250 2021		
	FC 250 2022		
	Cross Country		
	FS 450 2017		
	FS 450 2018		
	FS 450 2019		
	FS 450 2020		
	FS 450 2021		
	Service	☒	
	Repair	☐	
	optional	☐	

6.2 Wall tool organizer overview



Setting gauge (45129006000) (p. 49)

Setting gauge (46129006100) (p. 49)

Setting gauge (47029006000) (p. 49)

Measurement cap (47229031000) (p. 49)

Dial gauge (50112013000) (p. 49)

Dial gauge support (50112030000) (p. 50)

Measurement cap (50329031000) (p. 50)

Measurement cap (50429031000) (p. 50)

Setting gauge (54829001100) (p. 50)

Feeler gauge (59029041100) (p. 51)

Angle disc (60029010000) (p. 51)

Plastigauge clearance gauge (60029012000) (p. 51)

Testing hose (61029093000) (p. 52)

Pressure testing tool (61029094000) (p. 52)



Oil pressure adapter (75029094000) (p. 53)





Oil pressure adapter (77329006000) (p. 53)




Banjo bolt (79329006000) (p. 54)



Oil pressure adapter (79429094000) (p. 54)



Oil pressure adapter (90129094000) (p. 56)


45129006000 Setting gauge			
 45129006000	Description/example of use Tool for checking the X dimension (piston protrusion)		
	used with model TC 50		
	Service	☒	Repair optional ☐
46129006100 Setting gauge			
 46129006100	Description/example of use Tool for checking the X dimension (piston protrusion) and the ignition setting		
	used with model TC 65		
	Service	☒	Repair optional ☐
47029006000 Setting gauge			
 47029006000	Description/example of use Tool for checking the X dimension (piston protrusion) and the ignition setting		
	used with model TC 85 2014 TC 85 2015 TC 85 2016 TC 85 2017		
	Service	☒	Repair optional ☐
47229031000 Measurement cap			
 47229031000	Description/example of use Tool for dial gauge, for checking the X dimension (piston protrusion)		
	for use with 50112030000 used with model TC 85 2018 TC 85 2019 TC 85 2020 TC 85 2021 TC 85 2022		
	Service	☒	Repair optional ☐
50112013000 Dial gauge			
 50112013000	Description/example of use Measuring device for measuring lengths or length differences, for checking the X dimension (piston protrusion)		
	used with model TC 85 2018 TC 85 2019 TC 85 2020 TC 85 2021		
	matching tools / articles are 50112030000		

50112013000 Dial gauge			
	TC 85 2022 MX2 2 stroke Enduro E1 2 stroke		
	Service	☒	Repair optional ☐
50112030000 Dial gauge support			
 50112030000	Description/example of use Tool for dial gauge, for checking the X dimension (piston protrusion) for use with 50112013000 used with model MX2 2 stroke Enduro E1 2 stroke		
	Service	☒	Repair optional ☐
50329031000 Measurement cap			
 50329031000	Description/example of use Tool for dial gauge, for checking the X dimension (piston protrusion) for use with 50112030000 used with model TC 125 2014 TC 125 2015 TE 125		
	Service	☒	Repair optional ☐
50429031000 Measurement cap			
 50429031000	Description/example of use Tool for dial gauge, for checking the X dimension (piston protrusion) for use with 50112030000 used with model TC 125 2016 TC 125 2017 TC 125 2018 TC 125 2019 TC 125 2020 TC 125 2021 TC 125 2022 TE 150 TX 125		
	Service	☒	Repair optional ☐
54829001100 Setting gauge			
 54829001100	Description/example of use Tool for checking the X dimension (piston protrusion) used with model MX1 2 stroke Enduro E2 2 stroke Enduro E3 2 stroke Cross Country E3		
	Service	☒	Repair optional ☐

59029041100 Feeler gauge			
 59029041100	Description/example of use Tool for checking and measuring installed gaps Technical data 5 piece: 0.10 ... 0.25 mm (0.0039 ... 0.0098 in) used with model Mini MX2 stroke MX Enduro Cross Country Street		
	Service	☒	Repair
		☐	optional
		☐	
60029010000 Angle disc			
 60029010000	Description/example of use Tool for tightening bolts with rotation angle (cylinder head nuts, conrod bearing bolts) Technical data Driver system / tip: 1/2 in used with model FC 350 2014 FC 350 2015 FC 250 2014 FC 250 2015 FE 250 2014 FE 250 2015 FE 250 2016 VITPILEN 401 2021 SVARTPILEN 401 2021		
	Service	☐	Repair
		☒	optional
		☐	
60029012000 Plastigauge clearance gauge			
 60029012000	Description/example of use Tool for measuring bearing play Technical data 0.025 ... 0.175 mm (0.00098 ... 0.00689 in) used with model FC 350 MX2 4 stroke Enduro E1 4 stroke FE 350 FE 350 S FX 350 Naked Small		
	Service	☐	Repair
		☒	optional
		☐	


61029093000 Testing hose			
 61029093000	Description/example of use Hose for pressure testing tool, for checking the fuel pressure for use with 61029094000		
	used with model MX1 4 stroke MX2 4 stroke TE 150 2020 TE 150 2021 TE 150 2022 Enduro E1 4 stroke TE 250i EU 2018 TE 250i US 2018 TE 250i 2019 TE 250i 2020 TE 250i 2021 TE 250i 2022 Enduro E2 4 stroke TE 300i EU 2018 TE 300i 2019 TE 300i 2020 TE 300i 2021 TE 300i 2022 Enduro E3 4 stroke Cross Country E2 TX 300i 2020 TX 300i 2021 TX 300i 2022 Street		
	Service	☒	Repair
			☐
		optional	☐
61029094000 Pressure testing tool			
 61029094000	Description/example of use Tool for checking fuel and oil pressure		
	used with model MX1 4 stroke MX2 4 stroke TE 150 2020 TE 150 2021 TE 150 2022 Enduro E1 4 stroke TE 250i EU 2018 TE 250i US 2018 TE 250i 2019 TE 250i 2020 TE 250i 2021 TE 250i 2022 Enduro E2 4 stroke TE 300i EU 2018 TE 300i 2019 TE 300i 2020 TE 300i 2021		
		matching tools / articles are	
		61029093000	
		75029094000	
		77329006000	
		79329006000	
		79429094000	
		90129094000	

61029094000 Pressure testing tool			
	TE 300i 2022 Enduro E3 4 stroke Cross Country E2 TX 300i 2020 TX 300i 2021 TX 300i 2022 Street		
	Service	☒	Repair optional ☐
75029094000 Oil pressure adapter			
 75029094000	Description/example of use Adapter for pressure testing tool, for checking oil pressure for use with 61029094000 used with model FC 450 2014 FC 450 2015 FE 450 2014 FE 450 2015 FE 450 2016 FE 501 2014 FE 501 2015 FE 501 2016 FE 501 S 2015 FE 501 S 2016 FS 450 2015		
	Service	☐	Repair optional ☒
77329006000 Oil pressure adapter			
 77329006000	Description/example of use Adapter for pressure testing tool, for checking oil pressure for use with 61029094000 used with model FC 350 2014 FC 350 2015 FC 350 2016 FC 350 2017 FC 350 2018 FC 350 2019 FC 250 2014 FC 250 2015 FC 250 2016 FC 250 2017 FC 250 2018 FE 250 2014 FE 250 2015 FE 250 2016 FE 250 2017 FE 250 2018 FE 250 2019 FE 350 2014 FE 350 2015		
	Service	☐	Repair optional ☒

77329006000 Oil pressure adapter			
	FE 350 2016		
	FE 350 2017		
	FE 350 2018		
	FE 350 2019		
	FE 350 S 2015		
	FE 350 S 2016		
	FE 350 S 2017		
	FE 350 S 2018		
	FE 350 S 2019		
	FX 350 2017		
	FX 350 2018		
	FX 350 2019		
	Supermoto / Dual Sport		
	Street Enduro		
	Naked Mid		
	Service	☐	Repair
		☒	optional
			☐
79329006000 Banjo bolt			
  79329006000	Description/example of use		
	Banjo bolt for pressure testing tool, for checking oil pressure		
	for use with		
	61029094000		
	used with model		
	FC 350 2017		
	FC 350 2018		
	FC 250 2017		
	FC 250 2018		
	FE 250 2017		
	FE 250 2018		
	FE 250 2019		
	FE 350 2017		
	FE 350 2018		
	FE 350 2019		
	FE 350 S 2017		
	FE 350 S 2018		
	FE 350 S 2019		
	FX 350 2017		
	FX 350 2018		
	Service	☐	Repair
		☒	optional
			☐
79429094000 Oil pressure adapter			
  79429094000	Description/example of use		
	Adapter for pressure testing tool, for checking oil pressure		
	for use with		
	61029094000		
	used with model		
	FC 350 2019		
	FC 350 2020		
	FC 350 2021		
	FC 350 2022		
	FC 450 2016		
	FC 450 2017		
	FC 450 2018		

79429094000 Oil pressure adapter			
	FC 450 2019		
	FC 450 2020		
	FC 450 2021		
	FC 450 2022		
	FC 250 2019		
	FC 250 2020		
	FC 250 2021		
	FC 250 2022		
	FE 250 2020		
	FE 250 2021		
	FE 250 2022		
	FE 350 2020		
	FE 350 2021		
	FE 350 2022		
	FE 350 S 2020		
	FE 350 S 2021		
	FE 350 S 2022		
	FE 450 2017		
	FE 450 2018		
	FE 450 2019		
	FE 450 2020		
	FE 450 2021		
	FE 450 2022		
	FE 501 2017		
	FE 501 2018		
	FE 501 2019		
	FE 501 2020		
	FE 501 2021		
	FE 501 2022		
	FE 501 S 2017		
	FE 501 S 2018		
	FE 501 S 2019		
	FE 501 S 2020		
	FE 501 S 2021		
	FE 501 S 2022		
	FX 350 2019		
	FX 350 2020		
	FX 350 2021		
	FX 350 2022		
	FX 450		
	FS 450 2016		
	FS 450 2017		
	FS 450 2018		
	FS 450 2019		
	FS 450 2020		
	FS 450 2021		
	FS 450 2022		
	Service	☐	Repair
			☒
	optional		☐

7.1 Wall tool organizer overview



Bearing puller (15112017000) (p. 57)

Internal bearing puller (15112018100) (p. 57)

Puller (45229048000) (p. 58)

Puller (46129021000) (p. 58)

Puller (54629009044) (p. 58)

Puller (58012009000) (p. 59)

Puller (58429009000) (p. 59)

Puller (58429037031) (p. 59)

Puller (58429037037) (p. 59)

Puller (58429037040) (p. 60)

Puller (58429037043) (p. 60)

Puller (59029033000) (p. 61)

Puller (60029033000) (p. 62)

Puller (75029021000) (p. 62)

Puller (75029048100) (p. 62)

Puller (77229001044) (p. 62)

Puller (77229048000) (p. 63)

Puller (79229032044) (p. 63)

Puller (79229048100) (p. 64)

Puller (90129009000) (p. 65)


Puller (90129018000) (p. 65)

Puller (90129048100) (p. 65)

Puller (90229009000) (p. 66)

15112017000 Bearing puller

2x



15112017000

Description/example of use

Tool for removing bearings from a housing

used with model

Mini Electric

FC 450

FE 450

Enduro E3 4 stroke

FX 450

Supernoto

Street Enduro

Naked Mid

matching tools / articles are

15112018100

Service




Repair



optional



15112018100 Internal bearing puller



15112018100

Description/example of use

Tool for removing bearings from a housing

Technical data

18 ... 23 mm (0.71 ... 0.91 in)

for use with

15112017000

used with model




Mini Electric





FC 450



FE 450


Enduro E3 4 stroke


FX 450

15112018100 Internal bearing puller			
	Supermoto Street Enduro Naked Mid		
	Service ☐	Repair ☒	optional ☐
45229048000 Puller			
 45229048000	Description/example of use Tool for disengaging components (sections of the engine case)		
	used with model TC 50 TC 65		
	Service ☐	Repair ☒	optional ☐
46129021000 Puller			
 46129021000	Description/example of use Tool for pulling off components (primary gear wheel, sleeve, main shaft, rotor)		
	used with model TC 50 FC 350 MX2 4 stroke Enduro E1 4 stroke FE 350 2017 FE 350 2018 FE 350 2019 FE 350 2020 FE 350 2021 FE 350 2022 FE 350 S 2017 FE 350 S 2018 FE 350 S 2019 FE 350 S 2020 FE 350 S 2021 FE 350 S 2022 FX 350		
	Service ☐	Repair ☒	optional ☐
54629009044 Puller			
 54629009044	Description/example of use Tool for pulling off components (rotor)		
	used with model TC 65 TC 85 MX1 2 stroke MX2 2 stroke TE 125 TX 300 2017 TX 300 2018 TX 300 2019		
	Service ☐	Repair ☒	optional ☐

58012009000 Puller			
 58012009000	Description/example of use Tool for pulling off components (rotor)		
	used with model TC 250 2017 TC 250 2018 TC 250 2019 FC 350 2014 FC 350 2015 FC 450 2014 FC 450 2015 FC 250 2014 FC 250 2015 TE 150 TX 125 Enduro E1 4 stroke Enduro E2 Enduro E3 Cross Country E3 FS 450 2015		
	Service	☐	Repair
		☒	optional
		☐	
58429009000 Puller			
 58429009000	Description/example of use Tool for pulling off components (rotor)		
	used with model Supermoto / Dual Sport Street Enduro Naked Mid		
	Service	☐	Repair
		☒	optional
		☐	
58429037031 Puller			
 58429037031	Description/example of use Tool for pulling off components (inner bearing race of crankshaft)		
	Technical data Inside diameter: 31.5 mm (1.24 in) used with model TC 85		
	Service	☐	Repair
		☒	optional
		☐	
58429037037 Puller			
 58429037037	Description/example of use Tool for pulling off components (inner bearing race of crankshaft)		
	Technical data Inside diameter: 37.5 mm (1.476 in) used with model FC 350 MX2 Enduro E1		




58429037037 Puller			
	FE 350 FE 350 S FX 350		
	Service ☐	Repair ☒	optional ☐
58429037040 Puller			
 58429037040	Description/example of use Tool for pulling off components (inner bearing race of crankshaft)		
	Technical data Inside diameter: 40.4 mm (1.591 in) used with model TC 250 2014 TC 250 2015 TC 250 2016 TE 250 2014 TE 250 2015 TE 250 2016 TE 300 2014 TE 300 2015 TE 300 2016		
	Service ☐	Repair ☒	optional ☐
58429037043 Puller			
 58429037043	Description/example of use Tool for pulling off components (inner bearing race of crankshaft)		
	Technical data Inside diameter: 43.9 mm (1.728 in) used with model TC 250 2017 TC 250 2018 TC 250 2019 TC 250 2020 TC 250 2021 TC 250 2022 FC 450 2017 FC 450 2018 FC 450 2019 FC 450 2020 FC 450 2021 FC 450 2022 TE 250 2017 TE 250 2018 TE 250i 2019 TE 250i 2020 TE 250i 2021 TE 250i 2022 FE 350 ROCKSTAR EDITION EU 2022 FE 450 2017 FE 450 2018 FE 450 2019 FE 450 2020 FE 450 2021 FE 450 2022		
	Service ☐	Repair ☒	optional ☐

58429037043 Puller			
	TE 300 2017		
	TE 300 2018		
	TE 300i 2019		
	TE 300i 2020		
	TE 300i 2021		
	TE 300i 2022		
	FE 501 2017		
	FE 501 2018		
	FE 501 2019		
	FE 501 2020		
	FE 501 2021		
	FE 501 2022		
	FE 501 S 2017		
	FE 501 S 2018		
	FE 501 S 2019		
	FE 501 S 2020		
	FE 501 S 2021		
	FE 501 S 2022		
	FX 450		
	Cross Country E3		
	701 ENDURO 2016		
	701 ENDURO 2017		
	701 ENDURO 2018		
	701 ENDURO 2019		
	701 ENDURO 2020		
	701 SUPERMOTO EU 2021		
	FS 450 2016		
	FS 450 2017		
	FS 450 2018		
	FS 450 2019		
	FS 450 2020		
	FS 450 2021		
	FS 450 2022		
	Street Enduro		
	Naked Mid		
	Service	☐	Repair ☒ optional ☐
59029033000 Puller			
2x   59029033000	Description/example of use		
	Tool for pulling off components (timing chain sprocket)		
	used with model		
	701 ENDURO 2016		
	701 ENDURO 2016		
	Service	☐	Repair ☒ optional ☐

60029033000 Puller			
2x   60029033000	Description/example of use Tool for pulling off components (timing chain sprocket) used with model FC 450 FE 450 Enduro E3 4 stroke FX 450 Supermoto Competition		
	Service	☐	Repair ☒ optional ☐
75029021000 Puller			
  75029021000	Description/example of use Tool for pulling off components (primary gear wheel) used with model FC 450 FE 450 Enduro E3 4 stroke FX 450 Supermoto Street Enduro Naked Mid		
	Service	☐	Repair ☒ optional ☐
75029048100 Puller			
  75029048100	Description/example of use Tool for disengaging components (sections of the engine case) used with model Supermoto / Dual Sport Street Enduro Naked Mid		
	Service	☐	Repair ☒ optional ☐
77229001044 Puller			
  77229001044	Description/example of use Tool for pulling off components (camshaft gear wheel) used with model FC 350 2014 FC 350 2015 FC 350 2016 FC 250 2014 FE 350 2014 FE 350 2015 FE 350 2016 FE 350 S 2015 FE 350 S 2016		
	Service	☐	Repair ☒ optional ☐


77229048000 Puller			
2x   77229048000	Description/example of use Tool for disengaging components (sections of the engine case) used with model FC 350 2014 FC 350 2015 FC 250 2014 FC 250 2015 FE 250 2014 FE 250 2015 FE 250 2016 FE 350 2014 FE 350 2015 FE 350 2016 FE 350 S 2015 FE 350 S 2016		
	Service ☐	Repair ☒	optional ☐
79229032044 Puller			
  79229032044	Description/example of use Tool for pulling off components (rotor) used with model FC 350 2016 FC 350 2017 FC 350 2018 FC 350 2019 FC 350 2020 FC 350 2021 FC 350 2022 FC 450 2016 FC 450 2017 FC 450 2018 FC 450 2019 FC 450 2020 FC 450 2021 FC 450 2022 FC 250 2016 FC 250 2017 FC 250 2018 FC 250 2019 FC 250 2020 FC 250 2021 FC 250 2022 Cross Country E2 FS 450 2016 FS 450 2017 FS 450 2018 FS 450 2019 FS 450 2020 FS 450 2021 FS 450 2022		
	Service ☐	Repair ☒	optional ☐

79229048100 Puller	
4  79229048100	Description/example of use Tool for disengaging components (sections of the engine case)
	used with model FC 350 2016 FC 350 2017 FC 350 2018 FC 350 2019 FC 350 2020 FC 350 2021 FC 350 2022 FC 450 2016 FC 450 2017 FC 450 2018 FC 450 2019 FC 450 2020 FC 450 2021 FC 450 2022 FC 250 2016 FC 250 2017 FC 250 2018 FC 250 2019 FC 250 2020 FC 250 2021 FC 250 2022 FE 250 2017 FE 250 2018 FE 250 2019 FE 250 2020 FE 250 2021 FE 250 2022 FE 350 2017 FE 350 2018 FE 350 2019 FE 350 2020 FE 350 2021 FE 350 2022 FE 350 S 2017 FE 350 S 2018 FE 350 S 2019 FE 350 S 2020 FE 350 S 2021 FE 350 S 2022 FE 450 2017 FE 450 2018 FE 450 2019 FE 450 2020 FE 450 2021 FE 450 2022 FE 501 2017 FE 501 2018 FE 501 2019

79229048100 Puller			
	FE 501 2020		
	FE 501 2021		
	FE 501 2022		
	FE 501 S 2017		
	FE 501 S 2018		
	FE 501 S 2019		
	FE 501 S 2020		
	FE 501 S 2021		
	FE 501 S 2022		
	Cross Country E2		
	FS 450 2016		
	FS 450 2017		
	FS 450 2018		
	FS 450 2019		
	FS 450 2020		
	FS 450 2021		
	FS 450 2022		
	Service	☐	Repair ☒ optional ☐
90129009000 Puller			
 90129009000	Description/example of use		
	Tool for pulling off components (rotor)		
	used with model SVARTPILEN 125 SVARTPILEN 200		
	Service	☐	Repair ☒ optional ☐
90129018000 Puller			
 90129018000	Description/example of use		
	Tool for pulling off components (main bearing)		
	used with model SVARTPILEN 125 SVARTPILEN 200		
	Service	☐	Repair ☒ optional ☐
90129048100 Puller			
 90129048100	Description/example of use		
	Tool for disengaging components (sections of the engine case, for pressing out the crankshaft)		
	used with model		
	FC 450 2014		
	FC 450 2015		
	FE 450 2014		
	FE 450 2015		
	FE 450 2016		
	FE 501 2014		
	FE 501 2015		
	FE 501 2016		

90129048100 Puller			
	FE 501 S 2015 FE 501 S 2016 FS 450 2015 Naked Small		
	Service	☐	Repair ☒ optional ☐
90229009000 Puller			
  90229009000	Description/example of use Tool for pulling off components (rotor)		
	used with model SVARTPILEN 250 VITPILEN 401 SVARTPILEN 401		
	Service	☐	Repair ☒ optional ☐

8.1 Wall tool organizer overview



Protection cap (45229090000) (p. 67)

Protection cap (46229090000) (p. 67)

Protection cap (58529005000) (p. 67)

Protection cap (61229005100) (p. 68)

Protecting sleeve (75029080000) (p. 68)

Protecting sleeve (75029080050) (p. 68)

Protection cap (75029090000) (p. 68)

Protection cap (77229031000) (p. 69)

Protection cap (78029005000) (p. 69)

Protection cap (78029005100) (p. 69)

Protection cap (90129005000) (p. 69)

Protection cap (90129019000) (p. 70)

45229090000 Protection cap

2



45229090000

Description/example of use

Tool for protecting components (when disengaging the sections of the engine case)

used with model

TC 50

Service



Repair



optional



46229090000 Protection cap

2



46229090000

Description/example of use

Tool for protecting components (when disengaging the sections of the engine case)

used with model

TC 65

TC 85 2014

TC 85 2015

TC 85 2016

TC 85 2017

Service



Repair



optional



58529005000 Protection cap

1



58529005000

Description/example of use

Tool for protecting components (installation of crankshaft and balancer shaft)

used with model

701 ENDURO 2016

701 ENDURO 2017

701 ENDURO 2016

701 ENDURO 2017

Service








Repair




optional




61229005100 Protection cap			
 61229005100	Description/example of use Tool for protecting components (installation of clutch cover)		
	used with model 701 ENDURO 2018 701 ENDURO 2019 701 ENDURO 2020 701 ENDURO 2021 701 ENDURO 2018 701 ENDURO 2019 701 ENDURO 2020 701 ENDURO 2021 701 ENDURO LR Naked Mid		
	Service ☐	Repair ☒	optional ☐
75029080000 Protecting sleeve			
 75029080000	Description/example of use Tool for protecting components (installation of crankshaft, balancer shaft and engine case)		
	used with model Supermoto / Dual Sport Street Enduro Naked Mid		
	Service ☐	Repair ☒	optional ☐
75029080050 Protecting sleeve			
 75029080050	Description/example of use Tool for protecting components (installation of crankshaft and balancer shaft)		
	used with model 701 ENDURO 2016 701 ENDURO 2016		
	Service ☐	Repair ☒	optional ☐
75029090000 Protection cap			
 75029090000	Description/example of use Tool for protecting components (removal of primary gear wheel)		
	used with model MX1 4 stroke MX2 4 stroke Enduro E1 4 stroke Enduro E2 4 stroke Enduro E3 4 stroke Cross Country E2 Supermoto Street Enduro Naked Mid		
	Service ☐	Repair ☒	optional ☐

77229031000 Protection cap			
  77229031000	Description/example of use Tool for protecting components (removal of balancer shaft drive gear wheel)		
	used with model FC 350 MX2 4 stroke Enduro E1 4 stroke FE 350 FE 350 S FX 350		
	Service ☐	Repair ☒	optional ☐
78029005000 Protection cap			
  78029005000	Description/example of use Tool for protecting components (installation of crankshaft)		
	used with model FE 450 2014 FE 450 2015 FE 450 2016 FE 501 2014 FE 501 2015 FE 501 2016 FE 501 S 2015 FE 501 S 2016		
	Service ☐	Repair ☒	optional ☐
78029005100 Protection cap			
  78029005100	Description/example of use Tool for protecting components (installation of crankshaft)		
	used with model FC 450 2014 FC 450 2015 FS 450 2015		
	Service ☐	Repair ☒	optional ☐
90129005000 Protection cap			
  90129005000	Description/example of use Tool for protecting components (water pump installation)		
	used with model FC 450 FE 450 Enduro E3 4 stroke FX 450 Supermoto Competition Naked Small		
	Service ☐	Repair ☒	optional ☐


90129019000 Protection cap			
2  90129019000	Description/example of use		
	Tool for protecting components (removal of crankshaft, main bearing)		
	used with model		
	SVARTPILEN 125		
SVARTPILEN 200			
Service	☐	Repair	☒
optional		☐	

9.1 Overview



Retaining adapter (61029955144) (📖 p. 71)
Retaining adapter (61029955244) (📖 p. 71)
Front wheel work stand, small (6112996500033) (📖 p. 71)
Work stand (62529055200) (📖 p. 72)
Rear wheel work stand (6932995500033) (📖 p. 72)
Retaining adapter (69329955010) (📖 p. 72)
Mounting pin (69329965010) (📖 p. 72)
Mounting pin (69329965030) (📖 p. 72)
Front wheel work stand, large (6932996510033) (📖 p. 73)
Work stand attachments (75029036000) (📖 p. 73)
Floor jack attachment (75029055000) (📖 p. 73)
Lift stand (78929955100) (📖 p. 73)
Lift stand (80329955100) (📖 p. 73)
Lift stand (81329955100) (📖 p. 74)

61029955144 Retaining adapter



61029955144

Description/example of use

The set consists of retaining adapter and bushings kit, for rear wheel work stand, for lifting the motorcycle at the link fork

for use with

6932995500033

used with model

Naked Mid

Service




Repair



optional



61029955244 Retaining adapter



61029955244

Description/example of use

The set consists of retaining adapter and bushings kit, for rear wheel work stand, for lifting the motorcycle at the link fork

for use with

6932995500033

used with model

Naked Small

Service




Repair



optional



6112996500033 Front wheel work stand, small



6112996500033

Description/example of use

Tool for lifting the motorcycle at the fork legs (incl. retaining adapter)

used with model

Supermoto / Dual Sport

VITPILEN 701 2018

VITPILEN 701 2019

SVARTPILEN 701 2019

Service











Repair



optional




62529055200 Work stand			
 62529055200	Description/example of use Tool for lifting the motorcycle at the center		
	used with model Supermoto / Dual Sport Street Enduro Naked Bike		
	Service	☒	Repair
		☐	optional
		☐	
6932995500033 Rear wheel work stand			
 6932995500033	Description/example of use Tool for lifting the motorcycle at the link fork		
	used with model Supermoto / Dual Sport 701 ENDURO Naked Bike		
	Service	☐	Repair
		☐	optional
		☐	
		☒	
69329955010 Retaining adapter			
 69329955010	Description/example of use Adapter for rear work stand, for lifting the motorcycle at the link fork		
	for use with 6932995500033		
	Service	☐	Repair
		☐	optional
		☐	
		☒	
69329965010 Mounting pin			
 69329965010	Description/example of use Fitting for front work stand, for lifting the motorcycle at the triple clamp		
	Technical data Diameter: 14 mm (0.55 in)		
	Service	☐	Repair
		☐	optional
		☐	
		☒	
69329965030 Mounting pin			
 69329965030	Description/example of use Fitting for front work stand, for lifting the motorcycle at the triple clamp		
	Technical data Diameter: 19 mm (0.75 in)		
	Service	☐	Repair
		☐	optional
		☐	
		☒	

6932996510033 Front wheel work stand, large			
 6932996510033	Description/example of use Tool for lifting the motorcycle at the triple clamp		
	used with model Naked Small VITPILEN 701 2020 SVARTPILEN 701 2020 matching tools / articles are 69329965010 69329965030		
	Service ☐	Repair ☐	optional ☒
75029036000 Work stand attachments			
 75029036000	Description/example of use Attachments for work stand, for lifting the motorcycle at the center		
	used with model Supermoto / Dual Sport Street Enduro for use with 62529055200		
	Service ☒	Repair ☐	optional ☐
75029055000 Floor jack attachment			
 75029055000	Description/example of use Attachment for floor jack, for lifting engine		
	used with model Supermoto / Dual Sport Street Enduro Naked Bike		
	Service ☐	Repair ☒	optional ☐
78929955100 Lift stand			
 78929955100	Description/example of use Tool for lifting the motorcycle		
	Technical data Height: 260 ... 370 mm (10.24 ... 14.57 in) Load: ≤ 150 kg (≤ 331 lb.) used with model EE5 2021 EE5 2022		
	Service ☐	Repair ☐	optional ☒
80329955100 Lift stand			
 80329955100	Description/example of use Tool for lifting the motorcycle		
	Technical data Height: 260 ... 370 mm (10.24 ... 14.57 in) Load: ≤ 150 kg (≤ 331 lb.) used with model Mini MX2 stroke Supermoto Competition		
	Service ☐	Repair ☐	optional ☒

81329955100 Lift stand			
 81329955100	Description/example of use		
	Tool for lifting the motorcycle		
	Technical data		
	Height: 315 ... 425 mm (12.4 ... 16.73 in) Load: ≤ 150 kg (≤ 331 lb.) used with model MX Enduro E1 Enduro E2 Enduro E3 Cross Country		
Service		☐	Repair
		☐	optional
			☒

10.1 Wall tool organizer overview



Lock ring plier (51012011000) (p. 75)

Footrest spring plier (58429083000) (p. 75)

Hose clamp pliers (60029057000) (p. 76)

Spring band clamps plier (60029057100) (p. 76)

Valve stem seals plier (77229010000) (p. 76)

Footrest spring plier (79029083000) (p. 77)

51012011000 Lock ring plier



51012011000

Description/example of use

Tool for removing the oil filter

used with model

MX1 4 stroke

MX2 4 stroke

Enduro E1 4 stroke

Enduro E2 4 stroke

Enduro E3 4 stroke

Cross Country E2


Street

Service ☒

Repair ☐

optional ☐

58429083000 Footrest spring plier



58429083000

Description/example of use

Tool for removing and mounting the rider footrests and removing the spacer from the starter motor

used with model

TE 250 2017

TE 250 2018

TE 250i 2019

TE 250i 2020

TE 250i 2021

TE 250i 2022

TE 300 2017

TE 300 2018

TE 300i 2019

TE 300i 2020

TE 300i 2021




TE 300i 2022

Cross Country E3


Service ☒

Repair ☐

optional ☐

60029057000 Hose clamp pliers			
 60029057000	Description/example of use Tool for mounting hose clamps		
	used with model MX1 4 stroke MX2 4 stroke TE 150 2020 TE 150 2021 TE 150 2022 Enduro E1 4 stroke TE 250i EU 2018 TE 250i US 2018 TE 250i 2019 TE 250i 2020 TE 250i 2021 TE 250i 2022 Enduro E2 4 stroke TE 300i EU 2018 TE 300i 2019 TE 300i 2020 TE 300i 2021 TE 300i 2022 Enduro E3 4 stroke Cross Country E2 TX 300i 2020 TX 300i 2021 TX 300i 2022 Supermoto Street Enduro		
	Service	☒	Repair optional ☐
60029057100 Spring band clamps plier			
 60029057100	Description/example of use Tool for moving spring band clamps		
	used with model Supermoto / Dual Sport Street Enduro Naked Bike		
	Service	☒	Repair optional ☐
77229010000 Valve stem seals plier			
 77229010000	Description/example of use Tool for removing valve stem seals		
	used with model FC 350 MX2 4 stroke Enduro E1 4 stroke FE 350 FE 350 S FX 350 701 ENDURO 2017		


77229010000 Valve stem seals plier						
	701 ENDURO 2018					
	701 ENDURO 2019					
	701 ENDURO 2020					
	701 ENDURO 2021					
	701 ENDURO 2017					
	701 ENDURO 2018					
	701 ENDURO 2019					
	701 ENDURO 2020					
	701 ENDURO 2021					
	701 ENDURO LR					
	Naked Mid					
Service		☐	Repair	☒	optional	☐

79029083000 Footrest spring plier	
2  79029083000	Description/example of use Tool for removing and mounting rider footrests used with model TC 85 2018 TC 85 2019 TC 85 2020 TC 85 2021 TC 85 2022 TC 250 2017 TC 250 2018 TC 250 2019 TC 250 2020 TC 250 2021 TC 250 2022 FC 350 2016 FC 350 2017 FC 350 2018 FC 350 2019 FC 350 2020 FC 350 2021 FC 350 2022 FC 450 2016 FC 450 2017 FC 450 2018 FC 450 2019 FC 450 2020 FC 450 2021 FC 450 2022 TC 125 2016 TC 125 2017 TC 125 2018 TC 125 2019 TC 125 2020 TC 125 2021 TC 125 2022 FC 250 2016 FC 250 2017 FC 250 2018

79029083000 Footrest spring plier	
	FC 250 2019
	FC 250 2020
	FC 250 2021
	FC 250 2022
	TE 150
	TX 125
	FE 250 2017
	FE 250 2018
	FE 250 2019
	FE 250 2020
	FE 250 2021
	FE 250 2022
	TE 250 2017
	TE 250 2018
	TE 250i 2019
	TE 250i 2020
	TE 250i 2021
	TE 250i 2022
	FE 350 2017
	FE 350 2018
	FE 350 2019
	FE 350 2020
	FE 350 2021
	FE 350 2022
	FE 350 S 2017
	FE 350 S 2018
	FE 350 S 2019
	FE 350 S 2020
	FE 350 S 2021
	FE 350 S 2022
	FE 450 2017
	FE 450 2018
	FE 450 2019
	FE 450 2020
	FE 450 2021
	FE 450 2022
	TE 300 2017
	TE 300 2018
	TE 300i 2019
	TE 300i 2020
	TE 300i 2021
	TE 300i 2022
	FE 501 2017
	FE 501 2018
	FE 501 2019
	FE 501 2020
	FE 501 2021
	FE 501 2022
	FE 501 S 2017
	FE 501 S 2018
	FE 501 S 2019
	FE 501 S 2020

79029083000 Footrest spring plier			
	FE 501 S 2021		
	FE 501 S 2022		
	Cross Country		
	FS 450 2016		
	FS 450 2017		
	FS 450 2018		
	FS 450 2019		
	FS 450 2020		
	FS 450 2021		
	FS 450 2022		
Service		☒	
Repair		☐	
optional		☐	

11.1 Wall tool organizer overview




Spark plug wrench (60029073000) (p. 80)

Spark plug wrench (75029172000) (p. 80)

Spark plug wrench with link (77229172000) (p. 80)

60029073000 Spark plug wrench



60029073000

Description/example of use

Tool for removing and installing spark plugs

Technical data

Drive: 1/2 in

Hexagonal part: 16 mm (0.63 in)

Length: 71 mm (2.8 in)

used with model


TC 65

Service ☒

Repair ☐

optional ☐

75029172000 Spark plug wrench



75029172000

Description/example of use

Tool for removing and installing spark plugs

Technical data

Drive: 1/2 in

Hexagonal part: 14 mm (0.55 in)

Length: 85 mm (3.35 in)

used with model

Supermoto / Dual Sport

Street Enduro


Naked Mid

Service ☒

Repair ☐

optional ☐

77229172000 Spark plug wrench with link



77229172000

Description/example of use

Tool for removing and installing spark plugs

Technical data

Drive: 3/8 in

Hexagonal part: 14 mm (0.55 in)

Length: 130 mm (5.12 in)

used with model

MX1 4 stroke

MX2 4 stroke

Enduro E1 4 stroke

Enduro E2 4 stroke

Enduro E3 4 stroke

Cross Country E2

701 ENDURO 2021

Supermoto Competition

701 ENDURO 2021


Naked Small

Service ☒

Repair ☐

optional ☐

12.1 Wall tool organizer overview




Groove nut wrench (75029034000) (p. 81)

Groove nut wrench (90129021000) (p. 81)

Groove nut wrench (90129022000) (p. 81)

Groove nut wrench (90129050100) (p. 81)

75029034000 Groove nut wrench



75029034000

Description/example of use

Tool for adjusting, removing and installing components with groove nuts

Technical data

Drive: 1/2 in

Outside diameter: 22 mm (0.87 in)

Length: 53 mm (2.09 in)

used with model

Naked Bike

Service




Repair



optional



90129021000 Groove nut wrench



90129021000

Description/example of use

Tool for adjusting, removing and installing components with groove nuts

Technical data

Drive: 1/2 in

Outside diameter: 25.9 mm (1.02 in)

Length: 60 mm (2.36 in)

used with model

SVARTPILEN 125

SVARTPILEN 200

Service




Repair



optional



90129022000 Groove nut wrench



90129022000

Description/example of use

Tool for adjusting, removing and installing components with groove nuts

Technical data

Drive: 1/2 in

Outside diameter: 43 mm (1.69 in)

Length: 92 mm (3.62 in)

used with model

Naked Small

Service




Repair



optional



90129050100 Groove nut wrench



90129050100

Description/example of use

Tool for adjusting, removing and installing components with groove nuts

Technical data

Drive: 1/2 in

Outside diameter: 51 mm (2.01 in)

Length: 60 mm (2.36 in)

used with model

Naked Small

Service




Repair



optional




13.1 Overview



Insert for crankshaft pressing tool (45229008000) (p. 82)
Separator plate (45229047050) (p. 83)
Insert for crankshaft pressing tool (46229008000) (p. 83)
Anchor plate for crankshaft pressing tool (46229047002) (p. 83)
Separator plate (46229047050) (p. 83)
Insert for crankshaft pressing tool (47029008000) (p. 84)
Crankshaft pressing tool (47229047000) (p. 84)
Crankshaft pressing tool (50329047000) (p. 84)
Separator plate (50329047050) (p. 84)
Separator plate (50329047051) (p. 85)
Sleeve for crankshaft pressing tool (50429047001) (p. 85)
Cover for crankshaft pressing tool (50429047003) (p. 85)
Insert for crankshaft pressing tool (54829008000) (p. 85)
Separator plate (54829009000) (p. 86)
Insert for crankshaft pressing tool (54829108000) (p. 86)
Crankshaft pressing tool (75029047000) (p. 86)
Separator plate, upper part (75029047050) (p. 87)
Separator plate, base (75029047051) (p. 87)
Cover for crankshaft pressing tool (76629047003) (p. 87)
Insert for crankshaft pressing tool (77029008000) (p. 87)
Separator plate (77029009001) (p. 88)
Insert for crankshaft pressing tool (77229008000) (p. 88)
Separator plate (77229009000) (p. 88)
Separator plate (77229032000) (p. 89)
Insert for crankshaft pressing tool (77729008000) (p. 89)
Insert for crankshaft pressing tool (78029008000) (p. 89)
Separator plate (78029009100) (p. 89)
Insert for crankshaft pressing tool (78929008000) (p. 90)
Separator plate (78929009000) (p. 90)
Insert for crankshaft pressing tool (79029008000) (p. 91)
Separator plate (79029009000) (p. 91)
Insert for crankshaft pressing tool (79029108000) (p. 92)
Separator plate (79229009000) (p. 92)
Insert for crankshaft pressing tool (79429008000) (p. 93)
Separator plate (79429009000) (p. 93)

45229008000 Insert for crankshaft pressing tool



45229008000

Description/example of use

Sleeve with cover used as insert in the pressing tool for pressing the crankshaft together

for use with
50329047000

used with model
TC 50

Service











Repair








optional









45229047050 Separator plate			
 45229047050	Description/example of use Tool for separating the crankshaft used with model TC 50		
	Service	☐	Repair optional ☒
46229008000 Insert for crankshaft pressing tool			
 46229008000	Description/example of use Sleeve with cover used as insert in the pressing tool for pressing the crankshaft together for use with 50329047000 used with model TC 65		
	Service	☐	Repair optional ☒
46229047002 Anchor plate for crankshaft pressing tool			
 46229047002	Description/example of use Anchor plate for screwing on to the pressing tool, for pressing the crankshaft together for use with 50329047000 used with model TC 50 TC 65 TC 85 2014 TC 85 2015 TC 85 2016 TC 85 2017		
	Service	☐	Repair optional ☒
46229047050 Separator plate			
 46229047050	Description/example of use Tool for separating the crankshaft used with model TC 65 TC 85		
	Service	☐	Repair optional ☒




47029008000 Insert for crankshaft pressing tool			
 47029008000	Description/example of use Sleeve with cover used as insert in the pressing tool for pressing the crankshaft together		
	for use with 50329047000 used with model TC 85 2014 TC 85 2015 TC 85 2016 TC 85 2017		
	Service ☐	Repair ☐	optional ☒
47229047000 Crankshaft pressing tool			
 47229047000	Description/example of use Tool for pressing the crankshaft together		
	used with model TC 85 2018 TC 85 2019 TC 85 2020 TC 85 2021 TC 85 2022		
	Service ☐	Repair ☐	optional ☒
50329047000 Crankshaft pressing tool			
 50329047000	Description/example of use Tool for pressing the crankshaft together		
	used with model TC 50 TC 65 TC 85 2014 TC 85 2015 TC 85 2016 TC 85 2017 MX2 2 stroke Enduro E1 2 stroke		
	Service ☐	Repair ☐	optional ☒
50329047050 Separator plate			
 50329047050	Description/example of use Tool for separating the crankshaft		
	used with model MX2 2 stroke TE 150 TX 125		
	Service ☐	Repair ☐	optional ☒


50329047051 Separator plate			
 50329047051	Description/example of use Tool for separating the crankshaft		
	used with model TE 125		
	Service	☐	Repair ☐ optional ☒
50429047001 Sleeve for crankshaft pressing tool			
 50429047001	Description/example of use Sleeve insert in the pressing tool for pressing the crankshaft together		
	used with model TC 125 2016 TC 125 2017 TC 125 2018 TC 125 2019 TC 125 2020 TC 125 2021 TC 125 2022 TE 150 TX 125		
	Service	☐	Repair ☐ optional ☒
50429047003 Cover for crankshaft pressing tool			
 50429047003	Description/example of use Cover for sleeve, used as insert in the pressing tool for pressing the crankshaft together		
	used with model TC 125 2016 TC 125 2017 TC 125 2018 TC 125 2019 TC 125 2020 TC 125 2021 TC 125 2022 TE 150 TX 125		
	Service	☐	Repair ☐ optional ☒
54829008000 Insert for crankshaft pressing tool			
 54829008000	Description/example of use Sleeve with cover used as insert in the pressing tool for pressing the crankshaft together		
	used with model TC 250 2014 TC 250 2015		
	Service	☐	Repair ☐ optional ☒


54829008000 Insert for crankshaft pressing tool			
	TC 250 2016 TC 125 2014 TC 125 2015		
	Service ☐	Repair ☐	optional ☒
54829009000 Separator plate			
 54829009000	Description/example of use Tool for separating the crankshaft used with model MX1 2 stroke Enduro E2 2 stroke Enduro E3 2 stroke Cross Country E3		
	Service ☐	Repair ☐	optional ☒
54829108000 Insert for crankshaft pressing tool			
 54829108000	Description/example of use Sleeve with cover used as insert in the pressing tool for pressing the crankshaft together for use with 75029047000 used with model TC 250 2017 TC 250 2018 TC 250 2019 TC 250 2020 TC 250 2021 TC 250 2022 TE 125 Enduro E2 2 stroke Enduro E3 2 stroke Cross Country E3		
	Service ☐	Repair ☐	optional ☒
75029047000 Crankshaft pressing tool			
 75029047000	Description/example of use Tool for pressing the crankshaft together used with model MX1 MX2 4 stroke Enduro E1 4 stroke Enduro E2 Enduro E3 Cross Country Supermoto Street Enduro Naked Mid		
	Service ☐	Repair ☐	optional ☒
			matching tools / articles are 54829108000 76629047003 77029008000 77229008000 77729008000 78029008000 78929008000 79029008000 79029108000 79429008000



75029047050 Separator plate, upper part			
 75029047050	Description/example of use Tool for separating the crankshaft		
	for use with 75029047051 matching tools / articles are 75029047051		
	used with model Supermoto / Dual Sport Street Enduro Naked Mid		
	Service ☐	Repair ☐	optional ☒
75029047051 Separator plate, base			
 75029047051	Description/example of use Tool for separating the crankshaft		
	for use with 75029047050 matching tools / articles are 75029047050		
	used with model Supermoto / Dual Sport Street Enduro Naked Mid		
	Service ☐	Repair ☐	optional ☒
76629047003 Cover for crankshaft pressing tool			
 76629047003	Description/example of use Cover for pressing tool for pressing the crankshaft together		
	for use with 75029047000		
	used with model 701 ENDURO 2017 701 ENDURO 2018 701 ENDURO 2019 701 ENDURO 2020 701 ENDURO 2021 701 ENDURO 2017 701 ENDURO 2018 701 ENDURO 2019 701 ENDURO 2020 701 ENDURO 2021 701 ENDURO LR Naked Mid		
	Service ☐	Repair ☐	optional ☒
77029008000 Insert for crankshaft pressing tool			
 77029008000	Description/example of use Sleeve with cover used as insert in the pressing tool for pressing the crankshaft together		
	for use with 75029047000		
	used with model FE 250 2014 FE 250 2015 FE 250 2016		
	Service ☐	Repair ☐	optional ☒



77029009001 Separator plate			
 77029009001	Description/example of use Tool for separating the crankshaft		
	used with model FC 250 2014 FC 250 2015 FE 250 2014 FE 250 2015 FE 250 2016		
	Service ☐	Repair ☐	optional ☒
77229008000 Insert for crankshaft pressing tool			
 77229008000	Description/example of use Sleeve with cover used as insert in the pressing tool for pressing the crankshaft together		
	for use with 75029047000 used with model FC 350 2014 FC 350 2015 FC 350 2017 FC 350 2018 FC 350 2019 FC 350 2020 FC 350 2021 FC 350 2022 FE 350 2014 FE 350 2015 FE 350 2016 FE 350 2017 FE 350 2018 FE 350 2019 FE 350 S 2015 FE 350 S 2016 FE 350 S 2017 FE 350 S 2018 FE 350 S 2019 FX 350		
	Service ☐	Repair ☐	optional ☒
77229009000 Separator plate			
 77229009000	Description/example of use Tool for separating the crankshaft		
	used with model FC 350 2014 FC 350 2015 FE 350 2014 FE 350 2015 FE 350 2016 FE 350 S 2015 FE 350 S 2016		
	Service ☐	Repair ☐	optional ☒

77229032000 Separator plate			
 77229032000	Description/example of use Tool for pressing out balancer shaft drive gear wheel		
	used with model FC 350 MX2 4 stroke Enduro E1 4 stroke FE 350 FE 350 S FX 350 SVARTPILEN 125 SVARTPILEN 200		
	Service ☐	Repair ☐	optional ☒
77729008000 Insert for crankshaft pressing tool			
 77729008000	Description/example of use Sleeve with cover used as insert in the pressing tool for pressing the crankshaft together		
	for use with 75029047000 used with model FC 250 2014 FC 250 2015		
	Service ☐	Repair ☐	optional ☒
78029008000 Insert for crankshaft pressing tool			
 78029008000	Description/example of use Sleeve with cover used as insert in the pressing tool for pressing the crankshaft together		
	for use with 75029047000 used with model FE 450 2014 FE 450 2015 FE 450 2016 FE 501 2014 FE 501 2015 FE 501 2016 FE 501 S 2015 FE 501 S 2016		
	Service ☐	Repair ☐	optional ☒
78029009100 Separator plate			
 78029009100	Description/example of use Tool for separating the crankshaft		
	used with model FE 450 2014 FE 450 2015 FE 450 2016 FE 501 2014 FE 501 2015		

78029009100 Separator plate			
	FE 501 2016		
	FE 501 S 2015		
	FE 501 S 2016		
	Service ☐	Repair ☐	optional ☒
78929008000 Insert for crankshaft pressing tool			
 78929008000	Description/example of use		
	Sleeve with cover used as insert in the pressing tool for pressing the crankshaft together		
	for use with 75029047000		
	used with model		
	FC 450		
	FE 450 2017		
	FE 450 2018		
	FE 450 2019		
	FE 450 2020		
	FE 450 2021		
	FE 450 2022		
	FE 501 2017		
	FE 501 2018		
	FE 501 2019		
	FE 501 2020		
	FE 501 2021		
	FE 501 2022		
	FE 501 S 2017		
	FE 501 S 2018		
	FE 501 S 2019		
	FE 501 S 2020		
	FE 501 S 2021		
	FE 501 S 2022		
	FX 450		
	Supermoto Competition		
	Service ☐	Repair ☐	optional ☒
78929009000 Separator plate			
 78929009000	Description/example of use		
	Tool for separating the crankshaft		
	used with model		
	FC 450 2014		
	FC 450 2015		
	FS 450 2015		
	Service ☐	Repair ☐	optional ☒


79029008000 Insert for crankshaft pressing tool			
 79029008000	Description/example of use Sleeve with cover used as insert in the pressing tool for pressing the crankshaft together		
	for use with 75029047000 used with model FC 350 2016 FC 350 2017 FC 350 2018 FC 350 2019 FC 350 2020 FC 350 2021 FC 350 2022 FC 250 2016 FC 250 2017 FC 250 2018 FC 250 2019 FC 250 2020 FC 250 2021 FC 250 2022 FX 350		
Service ☐		Repair ☐	optional ☒
79029009000 Separator plate			
 79029009000	Description/example of use Tool for separating the crankshaft		
	used with model FC 250 2016 FC 250 2017 FC 250 2018 FC 250 2019 FC 250 2020 FC 250 2021 FC 250 2022 FE 250 2017 FE 250 2018 FE 250 2019 FE 250 2020 FE 250 2021 FE 250 2022 FE 350 2020 FE 350 2021 FE 350 2022 FE 350 S 2020 FE 350 S 2021 FE 350 S 2022 FE 450 2017 FE 450 2018 FE 450 2019 FE 501 2017 FE 501 2018 FE 501 2019		

79029009000 Separator plate			
	FE 501 S 2017		
	FE 501 S 2018		
	FE 501 S 2019		
	Service ☐	Repair ☐	optional ☒
79029108000 Insert for crankshaft pressing tool			
 79029108000	Description/example of use		
	Sleeve with cover used as insert in the pressing tool for pressing the crankshaft together		
	for use with 75029047000		
	used with model		
	FE 250 2017		
	FE 250 2018		
	FE 250 2019		
	FE 250 2020		
	FE 250 2021		
	FE 250 2022		
	FE 350 2020		
	FE 350 2021		
	FE 350 2022		
	FE 350 S 2020		
	FE 350 S 2021		
	FE 350 S 2022		
	Service ☐	Repair ☐	optional ☒
79229009000 Separator plate			
 79229009000	Description/example of use		
	Tool for separating the crankshaft		
	used with model		
	FC 350 2016		
	FC 350 2017		
	FC 350 2018		
	FC 350 2019		
	FC 350 2020		
	FC 350 2021		
	FC 350 2022		
	FE 350 2017		
	FE 350 2018		
	FE 350 2019		
	FE 350 S 2017		
	FE 350 S 2018		
	FE 350 S 2019		
	FX 350		
	Service ☐	Repair ☐	optional ☒

79429008000 Insert for crankshaft pressing tool			
 79428008000	Description/example of use Sleeve with cover used as insert in the pressing tool for pressing the crankshaft together		
	for use with 75029047000 used with model FC 450 2017 FC 450 2018 FC 450 2019 FC 450 2020 FC 450 2021 FC 450 2022 FE 450 2017 FE 450 2018 FE 450 2019 FE 450 2020 FE 450 2021 FE 450 2022 FE 501 2017 FE 501 2018 FE 501 2019 FE 501 2020 FE 501 2021 FE 501 2022 FE 501 S 2017 FE 501 S 2018 FE 501 S 2019 FE 501 S 2020 FE 501 S 2021 FE 501 S 2022 FX 450 FS 450 2016 FS 450 2017 FS 450 2018 FS 450 2019 FS 450 2020 FS 450 2021 FS 450 2022		
Service ☐		Repair ☐	optional ☒
79429009000 Separator plate			
 79429009000	Description/example of use Tool for separating the crankshaft		
	used with model FC 450 2016 FC 450 2017 FC 450 2018 FC 450 2019 FC 450 2020 FC 450 2021 FC 450 2022 FE 450 2020		

79429009000 Separator plate			
	FE 450 2021		
	FE 450 2022		
	FE 501 2020		
	FE 501 2021		
	FE 501 2022		
	FE 501 S 2020		
	FE 501 S 2021		
	FE 501 S 2022		
	FX 450		
	FS 450 2016		
	FS 450 2017		
	FS 450 2018		
	FS 450 2019		
	FS 450 2020		
	FS 450 2021		
	FS 450 2022		
	Service	☐	Repair
			☐
	optional		☒

14.1 Wall tool organizer overview



Piston ring compressor (60029015000) (p. 95)

Piston assembly ring (75029015102) (p. 95)

Insertion for piston ring lock (75029035000) (p. 96)

Insertion for piston ring lock (77229030000) (p. 96)

Insertion for piston ring lock (77329030100) (p. 96)

Insertion for piston ring lock (77729030200) (p. 96)

Insertion for piston ring lock (90129030000) (p. 97)

60029015000 Piston ring compressor



60029015000

Description/example of use

Tool for tensioning piston rings when installing the piston in the cylinder

Technical data

Height: 80 mm (3.15 in)

Diameter: 57 ... 125 mm (2.24 ... 4.92 in)

used with model

MX1 4 stroke

MX2 4 stroke

Enduro E1 4 stroke

Enduro E2 4 stroke

Enduro E3 4 stroke

Cross Country E2

701 ENDURO 2017

701 ENDURO 2018

701 ENDURO 2019

701 ENDURO 2020

701 ENDURO 2021

Supermoto Competition

701 ENDURO 2017

701 ENDURO 2018

701 ENDURO 2019

701 ENDURO 2020

701 ENDURO 2021

701 ENDURO LR

Naked Bike

Service



Repair



optional



75029015102 Piston assembly ring



75029015102

Description/example of use

Tool for installing the piston in the cylinder

Technical data

Height: 45 mm (1.77 in)

Diameter: 102 mm (4.02 in)

used with model

701 ENDURO 2016

701 ENDURO 2016

Service








Repair




optional



75029035000 Insertion for piston ring lock			
 75029035000	Description/example of use Tool for installing the piston ring lock in the piston		
	used with model Supermoto / Dual Sport Street Enduro Naked Mid		
	Service	☐	Repair ☒ optional ☐
77229030000 Insertion for piston ring lock			
 77229030000	Description/example of use Tool for installing the piston ring lock in the piston		
	used with model FC 350 FE 350 FE 350 S FX 350		
	Service	☐	Repair ☒ optional ☐
77329030100 Insertion for piston ring lock			
 77329030100	Description/example of use Tool for installing the piston ring lock in the piston		
	used with model FC 450 FE 450 Enduro E3 4 stroke FX 450 Supermoto Competition SVARTPILEN 250 VITPILEN 401 SVARTPILEN 401		
	Service	☐	Repair ☒ optional ☐
77729030200 Insertion for piston ring lock			
 77729030200	Description/example of use Tool for installing the piston ring lock in the piston		
	used with model MX2 4 stroke Enduro E1 4 stroke		
	Service	☐	Repair ☒ optional ☐

90129030000 Insertion for piston ring lock			
 90129030000	Description/example of use Tool for installing the piston ring lock in the piston used with model SVARTPILEN 125 SVARTPILEN 200		
	Service	☐	Repair optional ☐

15.1 Wall tool organizer overview




Mounting tool for lock ring (75029005000) (p. 98)

Assembly screws (75029033000) (p. 98)

Mounting tool for lock ring (76629032000) (p. 98)

Mounting tool for lock ring (79029005000) (p. 99)

75029005000 Mounting tool for lock ring



75029005000

Description/example of use

Tool for mounting lock rings on the drive and countershaft

used with model

FC 250 2016

FC 250 2017

FC 250 2018

FC 250 2019

701 ENDURO 2016

701 ENDURO 2016

Service ☐

Repair ☒

optional ☐

75029033000 Assembly screws



75029033000

Description/example of use

4 screws for tensioning the slipper clutch

used with model

Supermoto / Dual Sport

FS 450 2015

FS 450 2016

FS 450 2017

Street Enduro


Naked Mid

Service ☐

Repair ☒

optional ☐

76629032000 Mounting tool for lock ring



76629032000

Description/example of use

Tool for mounting lock rings on the countershaft and main shaft

used with model

701 ENDURO 2017

701 ENDURO 2018

701 ENDURO 2019

701 ENDURO 2020


701 ENDURO 2021

701 ENDURO 2017


701 ENDURO 2018

701 ENDURO 2019

701 ENDURO 2020


76629032000 Mounting tool for lock ring			
	701 ENDURO 2021 701 ENDURO LR Naked Mid		
	Service ☐	Repair ☒	optional ☐
79029005000 Mounting tool for lock ring			
 79029005000	Description/example of use Tool for mounting lock ring on the main shaft used with model FC 250 2016 FC 250 2017		
	Service ☐	Repair ☒	optional ☐

16.1 Overview



Clamping plate (75029050000) (📖 p. 100)

75029050000 Clamping plate



75029050000

Description/example of use

Plate for mounting the cylinder head

used with model

FC 450

FE 450

Enduro E3 4 stroke

FX 450

Supersmoto

Street Enduro

Naked Mid

Service




Repair



optional



16.2 Wall tool organizer overview



Valve spring mounter (59029019000) (📖 p. 100)

Limit plug gauge (59029026006) (📖 p. 101)

Release device for timing chain tensioner (61229021000) (📖 p. 101)

Limit plug gauge (77029026000) (📖 p. 101)

Insert for valve spring lever (77029041200) (📖 p. 102)

Limit plug gauge (77229026000) (📖 p. 102)

Timing chain tensioner insert (77229035000) (📖 p. 103)

Adjustment bush bridge (77229050044) (📖 p. 103)

Insert for valve spring lever (77229060000) (📖 p. 103)

Release device for timing chain tensioner (77329051000) (📖 p. 104)

Insert for valve spring lever (78029060000) (📖 p. 104)

Locking screw (78129032000) (📖 p. 104)


Insert for valve spring lever (79029060000) (📖 p. 104)

Limit plug gage (90129026000) (📖 p. 105)

Insert for valve spring lever (90129060000) (📖 p. 105)

59029019000 Valve spring mounter

2x



59029019000

Description/example of use

Tool for installing and removing valves and valve springs

used with model

MX1 4 stroke

MX2 4 stroke

Enduro E1 4 stroke

Enduro E2 4 stroke




matching tools / articles are


77029041200




77229060000





78029060000



79029060000

59029019000 Valve spring mounter			
	Enduro E3 4 stroke Cross Country E2 Street		90129060000
	Service ☐	Repair ☒	optional ☐
59029026006 Limit plug gauge			
 59029026006	Description/example of use Tool for checking valve guides Technical data Diameter: 6.05 mm (0.2382 in) used with model FC 450 FE 450 Enduro E3 4 stroke FX 450 Supermoto Street Enduro Naked Mid		
	Service ☐	Repair ☒	optional ☐
61229021000 Release device for timing chain tensioner			
 61229021000	Description/example of use Tool for installing timing chain tensioner used with model FC 350 MX2 4 stroke Enduro E1 4 stroke FE 350 FE 350 S FX 350		
	Service ☒	Repair ☐	optional ☐
77029026000 Limit plug gauge			
 77029026000	Description/example of use Tool for checking valve guides Technical data Diameter: 5.05 mm (0.1988 in) used with model FE 450 2014 FE 450 2015 FE 450 2016 FE 501 2014 FE 501 2015 FE 501 2016 FE 501 S 2015 FE 501 S 2016 SVARTPILEN 200 SVARTPILEN 250 VITPILEN 401 SVARTPILEN 401		
	Service ☐	Repair ☒	optional ☐


77029041200 Insert for valve spring lever			
 77029041200	Description/example of use Tool for installing and removing valves and valve springs for use with 59029019000 used with model FC 450 FC 250 2016 FC 250 2017 FC 250 2018 FC 250 2019 FC 250 2020 FC 250 2021 FC 250 2022 FE 250 2017 FE 250 2018 FE 250 2019 FE 250 2020 FE 250 2021 FE 250 2022 FE 350 2019 FE 350 2020 FE 350 2021 FE 350 2022 FE 350 S 2019 FE 350 S 2020 FE 350 S 2021 FE 350 S 2022 FE 450 Enduro E3 4 stroke FX 450 Supermoto Competition SVARTPILEN 250 VITPILEN 401 SVARTPILEN 401		
	Service	☐	Repair ☒ optional ☐
77229026000 Limit plug gauge			
 77229026000	Description/example of use Tool for checking valve guides Technical data Diameter: 5.55 mm (0.2185 in) used with model FC 350 MX2 4 stroke Enduro E1 4 stroke FE 350 FE 350 S FX 350		
	Service	☐	Repair ☒ optional ☐

77229035000 Timing chain tensioner insert			
 77229035000	Description/example of use Tool for tensioning timing chain		
	used with model FC 350 2014 FC 350 2015 FE 350 2014 FE 350 2015 FE 350 2016 FE 350 S 2015 FE 350 S 2016		
	Service	☒	Repair optional ☐
77229050044 Adjustment bush bridge			
 77229050044	Description/example of use Tool for working on camshaft (changing camshaft bearing, checking and adjusting valve timing)		
	used with model FC 350 2014 FC 350 2015 FC 350 2016 FE 350 2014 FE 350 2015 FE 350 2016 FE 350 S 2015 FE 350 S 2016		
	Service	☒	Repair optional ☐
77229060000 Insert for valve spring lever			
 77229060000	Description/example of use Tool for installing and removing valves and valve springs		
	for use with 59029019000 used with model FC 350 2014 FC 350 2015 FC 250 2014 FC 250 2015 FE 250 2014 FE 250 2015 FE 250 2016 FE 350 2014 FE 350 2015 FE 350 2016 FE 350 S 2015 FE 350 S 2016		
	Service	☐	Repair optional ☒

77329051000 Release device for timing chain tensioner			
 77329051000	Description/example of use Tool for installing timing chain tensioner		
	used with model Supermoto / Dual Sport Street Enduro Naked Mid		
	Service	☒	Repair ☐ optional ☐
78029060000 Insert for valve spring lever			
 78029060000	Description/example of use Tool for installing and removing valves and valve springs		
	used with model 701 ENDURO 2016 701 ENDURO 2016		
	Service	☐	Repair ☒ optional ☐
78129032000 Locking screw			
 78129032000	Description/example of use Tool for positioning the balancer shaft (installing clutch cover)		
	used with model FC 450 FE 450 Enduro E3 4 stroke FX 450 Supermoto Competition		
	Service	☒	Repair ☐ optional ☐
79029060000 Insert for valve spring lever			
 79029060000	Description/example of use Tool for installing and removing valves and valve springs		
	used with model FC 350 2016 FC 350 2017 FC 350 2018 FC 350 2019 FC 350 2020 FC 350 2021 FC 350 2022 FC 250 2016 FC 250 2017 FC 250 2018 FC 250 2019 FC 250 2020 FC 250 2021 FC 250 2022 FE 250 2017 FE 250 2018		

79029060000 Insert for valve spring lever			
	FE 350 2017		
	FE 350 2018		
	FE 350 2019		
	FE 350 2020		
	FE 350 2021		
	FE 350 2022		
	FE 350 S 2017		
	FE 350 S 2018		
	FE 350 S 2019		
	FE 350 S 2020		
	FE 350 S 2021		
	FE 350 S 2022		
	FX 350		
	701 ENDURO 2017		
	701 ENDURO 2018		
	701 ENDURO 2019		
	701 ENDURO 2020		
	701 ENDURO 2021		
	701 ENDURO 2017		
	701 ENDURO 2018		
	701 ENDURO 2019		
	701 ENDURO 2020		
	701 ENDURO 2021		
	701 ENDURO LR		
	Naked Mid		
	Service	☐	Repair ☒ optional ☐
90129026000 Limit plug gage			
1  90129026000	Description/example of use		
	Tool for checking valve guides		
	Technical data		
	Diameter: 4.55 mm (0.1791 in)		
	used with model		
	SVARTPILEN 125		
	SVARTPILEN 200		
	Service	☐	Repair ☒ optional ☐
90129060000 Insert for valve spring lever			
2  90129060000	Description/example of use		
	Tool for installing and removing valves and valve springs		
	for use with		
	59029019000		
	used with model		
	SVARTPILEN 125		
	SVARTPILEN 200		
	Service	☐	Repair ☒ optional ☐

17.1 Wall tool organizer overview



Pressing tool (47229005000) (p. 106)

Pressing tool (50429005000) (p. 106)

Pressing tool (54629027000) (p. 107)

Tool bracket (58429089000) (p. 107)

Pressing tool (58429091000) (p. 107)

Pressing tool (58429092000) (p. 108)

Pressing tool (60029043040) (p. 108)

Pressing tool (60029046128) (p. 109)

Pressing tool (75029044010) (p. 109)

Pressing tool (75029044020) (p. 110)

Pressing tool (75029051000) (p. 110)

Pressing tool (76629044011) (p. 110)

Pressing tool (76629044020) (p. 111)

Pressing tool (76629044030) (p. 111)

Pressing tool (79429006000) (p. 112)

Pressing tool (90129020000) (p. 112)

Pressing tool (90129056000) (p. 113)

Pressing tool (93829043000) (p. 113)

47229005000 Pressing tool



47229005000

Description/example of use

Tool for pressing components in and out (radial shaft seal ring of crankshaft)

used with model

TC 85 2018

TC 85 2019

TC 85 2020

TC 85 2021

TC 85 2022

Service



Repair



optional



50429005000 Pressing tool



50429005000

Description/example of use

Tool for pressing components in and out (radial shaft seal ring of crankshaft)

used with model

TC 250 2017

TC 250 2018

TC 250 2019

TC 250 2020

TC 250 2021

TC 250 2022

TC 125 2016

TC 125 2017

TC 125 2018

TC 125 2019



TC 125 2020


TC 125 2021


TC 125 2022




TE 150



TX 125



50429005000 Pressing tool			
	TE 250 2017		
	TE 250 2018		
	TE 250i 2019		
	TE 250i 2020		
	TE 250i 2021		
	TE 250i 2022		
	TE 300 2017		
	TE 300 2018		
	TE 300i 2019		
	TE 300i 2020		
	TE 300i 2021		
	TE 300i 2022		
	Cross Country E3		
	Service	☐	Repair ☒ optional ☐
54629027000 Pressing tool			
2x    54629027000	Description/example of use		
	Tool for pressing in components (clutch rivets on clutch basket)		
	used with model		
	TC 125 2014 TC 125 2015 TE 125		
	Service	☐	Repair ☒ optional ☐
58429089000 Tool bracket			
2x   58429089000	Description/example of use		
	Tool for pressing components in and out (bearing rings when changing steering head bearing)		
	for use with		
	58429091000 58429092000		
	used with model		
	MX		
	Enduro E1		
	Enduro E2		
	Enduro E3		
	Cross Country		
	Supermoto		
	Street Enduro		
	Naked Mid		
	Service	☐	Repair ☒ optional ☐
58429091000 Pressing tool			
  58429091000	Description/example of use		
	Tool for pressing components in (bearing rings when changing steering head bearing)		
	used with model		
	MX Enduro E1 Enduro E2 Enduro E3		
		matching tools / articles are	
		58429089000	


58429091000 Pressing tool			
	Cross Country Supermoto Street Enduro Naked Mid		
	Service ☐	Repair ☒	optional ☐
58429092000 Pressing tool			
 58429092000	Description/example of use Tool for pressing components out (bearing rings when changing steering head bearing)		
	used with model MX Enduro E1 Enduro E2 Enduro E3 Cross Country Supermoto Street Enduro Naked Mid matching tools / articles are 58429089000		
	Service ☐	Repair ☒	optional ☐
60029043040 Pressing tool			
 60029043040	Description/example of use Tool for pressing components in (radial shaft seal ring water pump)		
	used with model FC 450 2016 FC 450 2017 FC 450 2018 FC 450 2019 FC 450 2020 FC 450 2021 FC 450 2022 FE 450 2017 FE 450 2018 FE 450 2019 FE 450 2020 FE 450 2021 FE 450 2022 FE 501 2017 FE 501 2018 FE 501 2019 FE 501 2020 FE 501 2021 FE 501 2022 FE 501 S 2017 FE 501 S 2018 FE 501 S 2019 FE 501 S 2020 FE 501 S 2021 FE 501 S 2022 FX 450		

60029043040 Pressing tool			
	FS 450 2016		
	FS 450 2017		
	FS 450 2018		
	FS 450 2019		
	FS 450 2020		
	FS 450 2021		
	FS 450 2022		
	Service	☐	Repair ☒ optional ☐
60029046128 Pressing tool			
2x 4 13  60029046128	Description/example of use Tool for pressing components in (crankshaft support bearing)		
	used with model		
	TE 250i 2021		
	TE 250i 2022		
	TE 300i 2021		
	TE 300i 2022		
	TX 300i 2021		
	TX 300i 2022		
	Service	☐	Repair ☒ optional ☐
75029044010 Pressing tool			
13  75029044010	Description/example of use Tool for pressing components in (large camshaft bearing)		
	used with model		
	TC 250 2017		
	TC 250 2018		
	TC 250 2019		
	FC 450		
	TE 250 2017		
	TE 250 2018		
	TE 250i 2019		
	TE 250i 2020		
	FE 450		
	TE 300 2017		
	TE 300 2018		
	TE 300i 2019		
	TE 300i 2020		
	Enduro E3 4 stroke		
	FX 450		
	TX 300 2017		
	TX 300 2018		
	TX 300 2019		
	TX 300i 2020		
	701 ENDURO 2016		
	Supermoto Competition		
	701 ENDURO 2016		
	Service	☐	Repair ☒ optional ☐

75029044020 Pressing tool		
 75029044020	Description/example of use Tool for pressing components in (small camshaft bearing) used with model TC 250 2017 TC 250 2018 FC 450 TE 250 2017 TE 250 2018 FE 450 TE 300 2017 TE 300 2018 Enduro E3 4 stroke FX 450 TX 300 2017 TX 300 2018 701 ENDURO 2016 Supermoto Competition 701 ENDURO 2016	
	Service ☐	Repair ☒ optional ☐
75029051000 Pressing tool		
 75029051000	Description/example of use Tool for pressing components out (large camshaft bearing) used with model TC 250 2017 TC 250 2018 FC 450 TE 250 2017 TE 250 2018 FE 450 TE 300 2017 TE 300 2018 Enduro E3 4 stroke FX 450 TX 300 2017 TX 300 2018 701 ENDURO 2016 Supermoto Competition 701 ENDURO 2016	
	Service ☐	Repair ☒ optional ☐
76629044011 Pressing tool		
 76629044011	Description/example of use Tool for pressing components in (balancer shaft bearing, camshaft bearing) used with model 701 ENDURO 2017 701 ENDURO 2018 701 ENDURO 2019 701 ENDURO 2020 701 ENDURO 2021	


76629044011 Pressing tool			
	701 ENDURO 2017 701 ENDURO 2018 701 ENDURO 2019 701 ENDURO 2020 701 ENDURO 2021 701 ENDURO LR Naked Mid		
	Service	☐	Repair ☒ optional ☐
76629044020 Pressing tool			
 76629044020	Description/example of use Tool for pressing components in (balancer shaft bearing)		
	used with model 701 ENDURO 2017 701 ENDURO 2018 701 ENDURO 2019 701 ENDURO 2020 701 ENDURO 2021 701 ENDURO 2017 701 ENDURO 2018 701 ENDURO 2019 701 ENDURO 2020 701 ENDURO 2021 701 ENDURO LR Naked Mid		
	Service	☐	Repair ☒ optional ☐
76629044030 Pressing tool			
 76629044030	Description/example of use Tool for pressing components in (camshaft bearing)		
	used with model 701 ENDURO 2017 701 ENDURO 2018 701 ENDURO 2019 701 ENDURO 2020 701 ENDURO 2021 701 ENDURO 2017 701 ENDURO 2018 701 ENDURO 2019 701 ENDURO 2020 701 ENDURO 2021 701 ENDURO LR Naked Mid		
	Service	☐	Repair ☒ optional ☐

79429006000 Pressing tool			
 79429006000	Description/example of use Tool for pressing components in (water pump shaft bearing)		
	used with model FC 450 2016 FC 450 2017 FC 450 2018 FC 450 2019 FC 450 2020 FC 450 2021 FC 450 2022 FE 450 2017 FE 450 2018 FE 450 2019 FE 450 2020 FE 450 2021 FE 450 2022 FE 501 2017 FE 501 2018 FE 501 2019 FE 501 2020 FE 501 2021 FE 501 2022 FE 501 S 2017 FE 501 S 2018 FE 501 S 2019 FE 501 S 2020 FE 501 S 2021 FE 501 S 2022 FX 450 FS 450 2016 FS 450 2017 FS 450 2018 FS 450 2019 FS 450 2020 FS 450 2021 FS 450 2022		
	Service ☐	Repair ☒	optional ☐
90129020000 Pressing tool			
 90129020000	Description/example of use Tool for removing components (rotor, engine case, main bearing)		
	used with model Naked Small		
	Service ☐	Repair ☒	optional ☐


90129056000 Pressing tool			
2x   90129056000	Description/example of use Tool for pressing components out (balancer shaft bearing)		
	used with model Naked Small		
	Service ☐	Repair ☒	optional ☐

93829043000 Pressing tool			
  93829043000	Description/example of use Tool for pressing in components (radial shaft seal ring)		
	used with model Naked Small		
	Service ☐	Repair ☒	optional ☐


18.1 Overview






Spring hook (50305017000C1) (📖 p. 114)



50305017000C1 Spring hook			
 50305017000C1	Description/example of use		
	Tool for removing exhaust springs		
	used with model		
	Mini MX2 stroke		
	MX1		
	MX2 2 stroke		
	FC 250 2014		
	FC 250 2015		
	FC 250 2016		
	FC 250 2017		
	FC 250 2018		
	FC 250 2020		
	FC 250 2021		
	FC 250 2022		
	Enduro E1		
	Enduro E2		
	Enduro E3		
	Cross Country		
	Supermoto Competition		
Service		☒	
Repair		☐	
optional		☐	


18.2 Wall tool organizer overview



- Syringe (50329050000) (📖 p. 115)
- Adjusting gauge (51729022000) (📖 p. 115)
- Socket wrench (55529021000) (📖 p. 115)
- Adjusting gauge (55529022000) (📖 p. 115)
- Chain rivet tool (60029020000) (📖 p. 116)
- Multi-tooth wrench socket (63529075000) (📖 p. 116)
- Mounting tool (77329081000) (📖 p. 116)
- Multi-tooth wrench socket (79129075000) (📖 p. 116)
- Mounting tool (79129081000) (📖 p. 117)


50329050000 Syringe			
 50329050000	Description/example of use Tool for extracting and adding liquids used with model Husqvarna		
	Service	☒	Repair optional ☐
51729022000 Adjusting gauge			
 51729022000	Description/example of use Tool for adjusting components (centrifugal force controller) used with model TE 150 2020 TE 150 2021 TE 150 2022		
	Service	☐	Repair optional ☒
55529021000 Socket wrench			
 55529021000	Description/example of use Tool for adjusting components (centrifugal force controller) Technical data Square: 5 mm (0.2 in) used with model TE 150 2020 TE 150 2021 TE 150 2022 TE 250i 2019 TE 250i 2020 TE 250i 2021 TE 250i 2022 TE 300i 2019 TE 300i 2020 TE 300i 2021 TE 300i 2022 TX 300i 2020 TX 300i 2021 TX 300i 2022		
	Service	☐	Repair optional ☒
55529022000 Adjusting gauge			
 55529022000	Description/example of use Tool for adjusting components (centrifugal force controller) used with model TE 150 2020 TE 150 2021 TE 150 2022 TE 250i 2019 TE 300i 2019		
	Service	☐	Repair optional ☒

60029020000 Chain rivet tool			
 60029020000	Description/example of use Tool for riveting the chain		
	used with model Supermoto / Dual Sport Street Enduro Naked Bike		
	Service	☒	Repair optional ☐
63529075000 Multi-tooth wrench socket			
 63529075000	Description/example of use Tool for removing and mounting screws (conrod bearing)		
	Technical data Drive: 1/2 in Diameter: 9 mm (0.35 in) used with model SVARTPILEN 250 VITPILEN 401 2019 VITPILEN 401 2020 VITPILEN 401 2021 SVARTPILEN 401 2019 SVARTPILEN 401 2020 SVARTPILEN 401 2021		
	Service	☐	Repair optional ☒
77329081000 Mounting tool			
 77329081000	Description/example of use Tool for removing and installing components (coolant pipe)		
	Technical data Hexagonal part: 13 mm (0.51 in) used with model FE 250 2019 FE 350 2019 FE 350 S 2019		
	Service	☐	Repair optional ☒
79129075000 Multi-tooth wrench socket			
 79129075000	Description/example of use Tool for removing and installing components (crankshaft nut)		
	Technical data Drive: 1/2 in Diameter: 32 mm (1.26 in) used with model FC 350 2019 FC 350 2020 FC 350 2021 FC 350 2022 FC 250 2019 FC 250 2020 FC 250 2021 FC 250 2022 FX 350 2019		

79129075000 Multi-tooth wrench socket			
	FX 350 2020		
	FX 350 2021		
	FX 350 2022		
	Service	☒	Repair ☐ optional ☐
79129081000 Mounting tool			
 79129081000	Description/example of use		
	Tool for removing and installing components (coolant pipe)		
	Technical data		
	Hexagonal driver: 13 mm (0.51 in)		
	used with model		
	TC 250 2019		
	TC 250 2020		
	TC 250 2021		
	TC 250 2022		
	FC 350 2019		
	FC 350 2020		
	FC 350 2021		
	FC 350 2022		
	FC 450 ROCKSTAR EDITION US 2018		
	FC 450 2020		
	FC 450 2021		
	FC 450 2022		
	TC 125 2019		
	TC 125 2020		
	TC 125 2021		
	TC 125 2022		
	FC 250 2019		
	FC 250 2020		
	FC 250 2021		
	FC 250 2022		
	FE 250 2020		
	FE 250 2021		
	FE 250 2022		
	TE 250i 2020		
	TE 250i 2021		
	TE 250i 2022		
	FE 350 2020		
	FE 350 2021		
	FE 350 2022		
	FE 350 S 2020		
	FE 350 S 2021		
	FE 350 S 2022		
	TE 300i 2020		
	TE 300i 2021		
	TE 300i 2022		
	FX 350 2019		
	FX 350 2020		
	FX 350 2021		
	FX 350 2022		
	FX 450 2020		
	FX 450 2021		
	FX 450 2022		



79129081000 Mounting tool			
	TX 300 2019		
	TX 300i 2020		
	TX 300i 2021		
	TX 300i 2022		
	FS 450 2019		
	FS 450 2020		
	FS 450 2021		
	FS 450 2022		
Service		☐	
Repair		☒	
optional		☐	


19.1 Wall tool organizer overview






Socket (T07030) (📖 p. 119)
Pin wrench (T103) (📖 p. 120)
Drift (T120) (📖 p. 120)
Clamping stand (T1202S) (📖 p. 121)
Protecting sleeve (T1401) (📖 p. 121)
Clamping stand (T14015S) (📖 p. 122)
Clamping stand (T14016S) (📖 p. 122)
Ring wrench (T14017) (📖 p. 124)
Filling tool (T14019) (📖 p. 126)
Support tool (T14020) (📖 p. 126)
Calibrating unit (T14021) (📖 p. 126)
Pressing tool (T14022B) (📖 p. 127)
Thread protection sleeve (T14023) (📖 p. 127)
Support tool (T14026S) (📖 p. 127)
Support tool (T14026S1) (📖 p. 128)
Mounting sleeve (T14029) (📖 p. 129)
Filling adapter (T14030) (📖 p. 129)
Pressing tool (T14031) (📖 p. 129)
Open end wrench (T14032) (📖 p. 130)
Tweezers (T14033) (📖 p. 130)
Clamping stand (T1403S) (📖 p. 130)
Mounting tool (T14040S) (📖 p. 131)
Groove nut wrench (T14047) (📖 p. 131)
Clamping stand (T14049S) (📖 p. 132)
Pressing tool (T14051) (📖 p. 133)
Clamping stand (T14072) (📖 p. 134)
Protecting sleeve (T14073) (📖 p. 135)
Special socket (T14084) (📖 p. 136)
Special socket (T14087) (📖 p. 137)
Ring wrench (T14091) (📖 p. 138)
Mounting sleeve (T14092) (📖 p. 138)
Protecting sleeve (T512) (📖 p. 139)
Mounting tool (T528S) (📖 p. 140)
Clamping stand (T531S) (📖 p. 140)
Clamping stand (T612S) (📖 p. 140)
Mounting tool (T724S) (📖 p. 140)
Protecting sleeve (T726) (📖 p. 140)
Socket (T727S) (📖 p. 141)

T07030 Socket	
 T07030	Description/example of use Tool for loosening and tightening components (screw cap) Technical data Drive: 1/2 in Jaw opening: 40/39 mm (40/39 in) Diameter: 55 mm (2.17 in) used with model TC 50 2020 TC 50 2021 TC 50 2022

T07030 Socket			
	TC 65 2020 TC 65 2021 TC 65 2022 Mini Electric		
	Service ☐	Repair ☒	optional ☐
T103 Pin wrench			
 T103	Description/example of use Tool for working on the piston rod (spring holder sheet, preload adjuster)		
	Technical data adjustable Diameter: 4 mm (0.16 in) used with model TC 50 TC 65 Mini Electric TC 250 2014 FC 350 2014 FC 450 2014 TC 125 2014 FC 250 2014 701 ENDURO 2016 701 ENDURO 2017 701 ENDURO 2018 701 ENDURO 2019 FS 450 2015 FS 450 2016		
	Service ☐	Repair ☒	optional ☐
T120 Drift			
 T120	Description/example of use Tool for driving components out (collar bushings)		
	Technical data Diameter: 8 mm (0.31 in) used with model TC 50 TC 65 TC 85 2018 TC 85 2019 TC 85 2020 TC 85 2021 TC 85 2022 Mini Electric MX Enduro E1 Enduro E2 Enduro E3 Cross Country Supermoto Street Enduro Naked Mid		
	Service ☐	Repair ☒	optional ☐

T1202S Clamping stand			
2x 5  T1202S	Description/example of use Tool for clamping components (fluid barrier needle) Technical data Diameter: 10 mm (0.39 in) Diameter: 18 mm (0.71 in) used with model FE 250 2016 FE 350 2016 FE 350 S 2016 FE 450 2016 FE 501 2016 FE 501 S 2016 701 ENDURO 2020 701 ENDURO 2021 701 ENDURO 2016 701 ENDURO 2017 701 ENDURO 2018 701 ENDURO 2020 701 ENDURO 2021 701 ENDURO LR		
	Service ☐	Repair ☒	optional ☐




T1401 Protecting sleeve			
4  T1401	Description/example of use Tool for protecting components (inside fork tube) Technical data Diameter: 48 mm (1.89 in) used with model TC 250 2015 TC 250 2016 TC 250 2017 TC 250 2018 TC 250 2019 TC 250 2020 TC 250 2021 TC 250 2022 MX1 4 stroke MX2 Enduro E1 Enduro E2 Enduro E3 Cross Country Supermoto Street Enduro		
	Service ☐	Repair ☒	optional ☐




T14015S Clamping stand			
 T14015S	Description/example of use Tool for clamping components (cartridge) Technical data Diameter: 27 mm (1.06 in) used with model TC 85 2018 TC 85 2019 TC 85 2020 TC 85 2021 TC 85 2022 VITPILEN 701 2020 SVARTPILEN 701 SVARTPILEN 701 STYLE 2019		
	Service ☐	Repair ☒	optional ☐
T14016S Clamping stand			
 T14016S	Description/example of use Tool for clamping components (piston rod) Technical data Diameter: 12 mm (0.47 in) used with model Mini TC 250 2014 TC 250 2017 TC 250 2018 TC 250 2019 TC 250 2020 TC 250 2021 TC 250 2022 FC 350 2014 FC 350 2017 FC 350 2018 FC 350 2019 FC 350 2020 FC 350 2021 FC 350 2022 FC 450 2014 FC 450 2017 FC 450 2018 FC 450 2019 FC 450 2020 FC 450 2021 FC 450 2022 TC 125 2014 TC 125 2017 TC 125 2018 TC 125 2019 TC 125 2020 TC 125 2021 TC 125 2022 FC 250 2014 FC 250 2017 FC 250 2018		


T14016S Clamping stand	
	FC 250 2019
	FC 250 2020
	FC 250 2021
	FC 250 2022
	TE 150
	TX 125
	FE 250 2017
	FE 250 2018
	FE 250 2019
	FE 250 2020
	FE 250 2021
	FE 250 2022
	TE 250 2017
	TE 250 2018
	TE 250i 2019
	TE 250i 2020
	TE 250i 2021
	TE 250i 2022
	FE 350 2017
	FE 350 2018
	FE 350 2019
	FE 350 2020
	FE 350 2021
	FE 350 2022
	FE 350 S 2017
	FE 350 S 2018
	FE 350 S 2019
	FE 350 S 2020
	FE 350 S 2021
	FE 350 S 2022
	FE 450 2017
	FE 450 2018
	FE 450 2019
	FE 450 2020
	FE 450 2021
	FE 450 2022
	TE 300 2017
	TE 300 2018
	TE 300i 2019
	TE 300i 2020
	TE 300i 2021
	TE 300i 2022
	FE 501 2017
	FE 501 2018
	FE 501 2019
	FE 501 2020
	FE 501 2021
	FE 501 2022
	FE 501 S 2017
	FE 501 S 2018
	FE 501 S 2019
	FE 501 S 2020



T14016S Clamping stand			
	FE 501 S 2021 FE 501 S 2022 Cross Country Supermoto Competition 701 ENDURO 2019 701 ENDURO 2020 701 ENDURO 2021 701 ENDURO LR		
	Service	☐	Repair ☒ optional ☐
T14017 Ring wrench			
 T14017	Description/example of use		
	Tool for loosening and tightening components (screw cap) Technical data Hexagonal part: 50 mm (1.97 in) used with model TC 250 2014 TC 250 2017 TC 250 2018 TC 250 2019 TC 250 2020 TC 250 2021 TC 250 2022 FC 350 2014 FC 350 2017 FC 350 2018 FC 350 2019 FC 350 2020 FC 350 2021 FC 350 2022 FC 450 2014 FC 450 2017 FC 450 2018 FC 450 2019 FC 450 2020 FC 450 2021 FC 450 2022 TC 125 2014 TC 125 2017 TC 125 2018 TC 125 2019 TC 125 2020 TC 125 2021 TC 125 2022 FC 250 2014 FC 250 2017 FC 250 2018 FC 250 2019 FC 250 2020 FC 250 2021 FC 250 2022 TE 150 TX 125		



T14017 Ring wrench	
	FE 250 2017
	FE 250 2018
	FE 250 2019
	FE 250 2020
	FE 250 2021
	FE 250 2022
	TE 250 2017
	TE 250 2018
	TE 250i 2019
	TE 250i 2020
	TE 250i 2021
	TE 250i 2022
	FE 350 2017
	FE 350 2018
	FE 350 2019
	FE 350 2020
	FE 350 2021
	FE 350 2022
	FE 350 S 2017
	FE 350 S 2018
	FE 350 S 2019
	FE 350 S 2020
	FE 350 S 2021
	FE 350 S 2022
	FE 450 2017
	FE 450 2018
	FE 450 2019
	FE 450 2020
	FE 450 2021
	FE 450 2022
	TE 300 2017
	TE 300 2018
	TE 300i 2019
	TE 300i 2020
	TE 300i 2021
	TE 300i 2022
	FE 501 2017
	FE 501 2018
	FE 501 2019
	FE 501 2020
	FE 501 2021
	FE 501 2022
	FE 501 S 2017
	FE 501 S 2018
	FE 501 S 2019
	FE 501 S 2020
	FE 501 S 2021
	FE 501 S 2022
	Cross Country
	701 ENDURO 2020
	701 ENDURO 2021
	Supermoto Competition

T14017 Ring wrench			
	701 ENDURO 2019 701 ENDURO 2020 701 ENDURO 2021 701 ENDURO LR		
	Service	☐	Repair ☒ optional ☐
T14019 Filling tool			
 T14019	Description/example of use Tool for filling the cartridge with nitrogen		
	used with model TC 250 2014 FC 350 2014 FC 450 2014 TC 125 2014 FC 250 2014 FS 450 2015 FS 450 2016		
	Service	☐	Repair ☒ optional ☐
T14020 Support tool			
 T14020	Description/example of use Tool for holding the piston rod		
	used with model TC 250 2014 FC 350 2014 FC 450 2014 TC 125 2014 FC 250 2014 FS 450 2015 FS 450 2016		
	Service	☐	Repair ☒ optional ☐
T14021 Calibrating unit			
 T14021	Description/example of use Tool for calibrating components (DU bush)		
	Technical data Diameter: 12 mm (0.47 in) used with model TC 50 TC 65 TC 85 2020 TC 85 2021 TC 85 2022 Mini Electric TC 250 2014 FC 350 2014 FC 450 2014 TC 125 2014 FC 250 2014 FS 450 2015 FS 450 2016		
	Service	☐	Repair ☒ optional ☐


T14022B Pressing tool			
 T14022B	Description/example of use Tool for removing and installing components (DU bush) Technical data Diameter: 11.95 ... 21.4 mm (0.4705 ... 0.843 in) used with model TC 50 TC 65 Mini Electric TC 250 2014 FC 350 2014 FC 450 2014 TC 125 2014 FC 250 2014 FS 450 2015 FS 450 2016		
	Service	☐	Repair ☒ optional ☐
T14023 Thread protection sleeve			
 T14023	Description/example of use Tool for protecting components (thread of screw sleeve) Technical data Diameter: 24.5 mm (0.965 in) used with model TC 250 2014 FC 350 2014 FC 450 2014 TC 125 2014 FC 250 2014 FS 450 2015 FS 450 2016		
	Service	☐	Repair ☒ optional ☐
T14026S Support tool			
 T14026S	Description/example of use Tool for assembling the fork legs (pulling out piston rod) Technical data M14 Diameter: 25 mm (0.98 in) used with model TC 85 2014 TC 85 2015 TC 85 2016 TC 85 2017 TC 85 2018		
	Service	☐	Repair ☒ optional ☐


T14026S1 Support tool	
 T14026S1	Description/example of use Tool for assembling the fork legs (pulling out piston rod) Technical data M12 Diameter: 17 mm (0.67 in) used with model TE 150 TX 125 FE 250 2017 FE 250 2018 FE 250 2019 FE 250 2020 FE 250 2021 FE 250 2022 TE 250 2017 TE 250 2018 TE 250i 2019 TE 250i 2020 TE 250i 2021 TE 250i 2022 FE 350 2017 FE 350 2018 FE 350 2019 FE 350 2020 FE 350 2021 FE 350 2022 FE 350 S 2017 FE 350 S 2018 FE 350 S 2019 FE 350 S 2020 FE 350 S 2021 FE 350 S 2022 FE 450 2017 FE 450 2018 FE 450 2019 FE 450 2020 FE 450 2021 FE 450 2022 TE 300 2017 TE 300 2018 TE 300i 2019 TE 300i 2020 TE 300i 2021 TE 300i 2022 FE 501 2017 FE 501 2018 FE 501 2019 FE 501 2020 FE 501 2021 FE 501 2022 FE 501 S 2017 FE 501 S 2018


T14026S1 Support tool			
		FE 501 S 2019 FE 501 S 2020 FE 501 S 2021 FE 501 S 2022 Supermoto / Dual Sport 701 ENDURO 2019 701 ENDURO 2020 701 ENDURO 2021 701 ENDURO LR	
		Service ☐	Repair ☒ optional ☐
T14029 Mounting sleeve			
 T14029		Description/example of use Tool for mounting components (seal ring) Technical data Diameter: 12.45 mm (0.4902 in) used with model TC 250 2014 FC 350 2014 FC 450 2014 TC 125 2014 FC 250 2014 FS 450 2015 FS 450 2016	
		Service ☐	Repair ☒ optional ☐
T14030 Filling adapter			
 T14030		Description/example of use Tool for bleeding and filling cartridge Technical data M4 Diameter: 16 mm (0.63 in) used with model FC 350 2014 FC 450 2014 TC 125 2014 FC 250 2014 FS 450 2015 FS 450 2016	
		Service ☐	Repair ☒ optional ☐
T14031 Pressing tool			
 T14031		Description/example of use Tool for removing and pressing in components (pilot bushing) Technical data Diameter: 12 mm (0.47 in) used with model TC 85 2021 TC 85 2022	
		Service ☐	Repair ☒ optional ☐


T14032 Open end wrench			
 T14032	Description/example of use Tool for disassembling and assembling the fork legs Technical data Jaw opening: 22 mm (0.87 in) used with model TC 85 2014 TC 85 2015 TC 85 2016 TC 85 2017 701 ENDURO 2016 701 ENDURO 2017 701 ENDURO 2018 701 ENDURO 2019 VITPILEN 701 2020 SVARTPILEN 701 SVARTPILEN 701 STYLE 2019		
	Service	☐	Repair ☒ optional ☐
T14033 Tweezers			
 T14033	Description/example of use Tool for mounting components (check valve) used with model TC 250 2014 FC 350 2014 FC 450 2014 TC 125 2014 FC 250 2014 FS 450 2015 FS 450 2016		
	Service	☐	Repair ☒ optional ☐
T1403S Clamping stand			
 T1403S	Description/example of use Tool for clamping components (fork legs, outer fork tube) Technical data Diameter: 48 mm (1.89 in) Diameter: 60 mm (2.36 in) used with model TC 50 TC 65 Mini Electric MX Enduro E1 Enduro E2 Enduro E3 Cross Country Supermoto Street Enduro		
	Service	☐	Repair ☒ optional ☐


T14040S Mounting tool			
 T14040S	Description/example of use Tool for holding when assembling fork legs		
	Technical data Diameter: 48 mm (1.89 in) used with model TC 250 2015 TC 250 2016 TC 250 2017 TC 250 2018 TC 250 2019 TC 250 2020 TC 250 2021 TC 250 2022 MX1 4 stroke MX2 Enduro E1 Enduro E2 Enduro E3 Cross Country Supermoto Street Enduro		
	Service ☐	Repair ☒	optional ☐


T14047 Groove nut wrench			
 T14047	Description/example of use Tool for loosening and tightening components (screw cap)		
	Technical data Drive: 1/2 in Narrow diameter: 34 mm (1.34 in) Wide diameter: 42.7 mm (1.681 in) used with model TC 250 2015 TC 250 2016 TC 250 2017 TC 250 2018 FC 350 2015 FC 350 2016 FC 450 2015 FC 450 2016 TC 125 2015 TC 125 2016 TC 125 2017 TC 125 2018 TC 125 2019 FC 250 2015 FC 250 2016 TE 125 FE 250 2014 FE 250 2015 FE 250 2016 TE 250 2014 TE 250 2015 TE 250 2016		


T14047 Groove nut wrench			
	FE 350 2014		
	FE 350 2015		
	FE 350 2016		
	FE 350 S 2015		
	FE 350 S 2016		
	FE 450 2014		
	FE 450 2015		
	FE 450 2016		
	TE 300 2014		
	TE 300 2015		
	TE 300 2016		
	FE 501 2014		
	FE 501 2015		
	FE 501 2016		
	FE 501 S 2015		
	FE 501 S 2016		
	TX 300 2017		
	TX 300 2018		
	701 ENDURO 2016		
	701 ENDURO 2017		
	701 ENDURO 2018		
	Service	☐	Repair
			☒
			optional
			☐
T14049S Clamping stand			
2x   T14049S	Description/example of use		
	Tool for clamping components (piston rod, cartridge)		
	Technical data		
	Diameter: 8 mm (0.31 in)		
	Diameter: 24.8 mm (0.976 in)		
	used with model		
	TC 250 2015		
	TC 250 2016		
	FC 350 2015		
	FC 350 2016		
	FC 450 2015		
	FC 450 2016		
	TC 125 2015		
	TC 125 2016		
	FC 250 2015		
	FC 250 2016		
	TE 125		
	FE 250 2014		
	FE 250 2015		
	FE 250 2016		
	TE 250 2014		
	TE 250 2015		
	TE 250 2016		
	FE 350 2014		
	FE 350 2015		
	FE 350 2016		
	FE 350 S 2015		
	FE 350 S 2016		
	FE 450 2014		


T14049S Clamping stand			
	FE 450 2015		
	FE 450 2016		
	TE 300 2014		
	TE 300 2015		
	TE 300 2016		
	FE 501 2014		
	FE 501 2015		
	FE 501 2016		
	FE 501 S 2015		
	FE 501 S 2016		
	701 ENDURO 2016		
	701 ENDURO 2017		
	701 ENDURO 2018		
	Service	☐	
	Repair	☒	
	optional	☐	
T14051 Pressing tool			
 T14051	Description/example of use		
	Tool for removing the cartridge from the fork leg		
	Technical data		
	Diameter: 27.5 mm (1.083 in)		
	used with model		
	TC 250 2015		
	TC 250 2016		
	FC 350 2015		
	FC 350 2016		
	FC 450 2015		
	FC 450 2016		
	TC 125 2015		
	TC 125 2016		
	FC 250 2015		
	FC 250 2016		
	TE 125		
	FE 250 2014		
	FE 250 2015		
	FE 250 2016		
	TE 250 2014		
	TE 250 2015		
	TE 250 2016		
	FE 350 2014		
	FE 350 2015		
	FE 350 2016		
	FE 350 S 2015		
	FE 350 S 2016		
	FE 450 2014		
	FE 450 2015		
	FE 450 2016		
	TE 300 2014		
	TE 300 2015		
	TE 300 2016		
	FE 501 2014		
	FE 501 2015		
	FE 501 2016		
	FE 501 S 2015		


T14051 Pressing tool			
	FE 501 S 2016 701 ENDURO 2016 701 ENDURO 2017 701 ENDURO 2018		
	Service	☐	Repair ☒ optional ☐
T14072 Clamping stand			
2x   T14072	Description/example of use Tool for clamping components (cartridge)		
	Technical data Diameter: 37 mm (1.46 in) used with model TC 250 2017 TC 250 2018 TC 250 2019 TC 250 2020 TC 250 2021 TC 250 2022 FC 350 2017 FC 350 2018 FC 350 2019 FC 350 2020 FC 350 2021 FC 350 2022 FC 450 2017 FC 450 2018 FC 450 2019 FC 450 2020 FC 450 2021 FC 450 2022 TC 125 2017 TC 125 2018 TC 125 2019 TC 125 2020 TC 125 2021 TC 125 2022 FC 250 2017 FC 250 2018 FC 250 2019 FC 250 2020 FC 250 2021 FC 250 2022 Cross Country FS 450 2017 FS 450 2018 FS 450 2019 FS 450 2020 FS 450 2021 FS 450 2022		
	Service	☐	Repair ☒ optional ☐




T14073 Protecting sleeve			
1  T14073	Description/example of use Tool for protecting components (thread of piston rod) Technical data Diameter: 11.5 mm (0.453 in) used with model TC 85 2018 TC 85 2019 TC 85 2020 TC 85 2021 TC 85 2022 TC 250 2017 TC 250 2018 TC 250 2019 TC 250 2020 TC 250 2021 TC 250 2022 FC 350 2017 FC 350 2018 FC 350 2019 FC 350 2020 FC 350 2021 FC 350 2022 FC 450 2017 FC 450 2018 FC 450 2019 FC 450 2020 FC 450 2021 FC 450 2022 TC 125 2017 TC 125 2018 TC 125 2019 TC 125 2020 TC 125 2021 TC 125 2022 FC 250 2017 FC 250 2018 FC 250 2019 FC 250 2020 FC 250 2021 FC 250 2022 Cross Country FS 450 2017 FS 450 2018 FS 450 2019 FS 450 2020 FS 450 2021 FS 450 2022		
	Service	☐	Repair
		optional	☐


T14084 Special socket			
 T14084	Description/example of use Tool for loosening and tightening components (screw cap) Technical data Drive: 1/2 in Diameter: 24 mm (0.94 in) used with model		
	TC 50 TC 65 Mini Electric TC 250 2017 TC 250 2018 TC 250 2019 TC 250 2020 TC 250 2021 TC 250 2022 FC 350 2017 FC 350 2018 FC 350 2019 FC 350 2020 FC 350 2021 FC 350 2022 FC 450 2017 FC 450 2018 FC 450 2019 FC 450 2020 FC 450 2021 FC 450 2022 TC 125 2020 TC 125 2021 TC 125 2022 FC 250 2017 FC 250 2018 FC 250 2019 FC 250 2020 FC 250 2021 FC 250 2022 Cross Country FS 450 2017 FS 450 2018 FS 450 2019 FS 450 2020 FS 450 2021 FS 450 2022		
Service ☐		Repair ☒	optional ☐

T14087 Special socket	
  T14087	Description/example of use Tool for loosening and tightening components (preload adjuster) Technical data Drive: 1/2 in External diameter: 44 mm (1.73 in) Internal diameter: 29.5 mm (1.161 in) used with model TE 150 TX 125 FE 250 2017 FE 250 2018 FE 250 2019 FE 250 2020 FE 250 2021 FE 250 2022 TE 250 2017 TE 250 2018 TE 250i 2019 TE 250i 2020 TE 250i 2021 TE 250i 2022 FE 350 2017 FE 350 2018 FE 350 2019 FE 350 2020 FE 350 2021 FE 350 2022 FE 350 S 2017 FE 350 S 2018 FE 350 S 2019 FE 350 S 2020 FE 350 S 2021 FE 350 S 2022 FE 450 2017 FE 450 2018 FE 450 2019 FE 450 2020 FE 450 2021 FE 450 2022 TE 300 2017 TE 300 2018 TE 300i 2019 TE 300i 2020 TE 300i 2021 TE 300i 2022 FE 501 2017 FE 501 2018 FE 501 2019 FE 501 2020 FE 501 2021 FE 501 2022 FE 501 S 2017


T14087 Special socket			
	FE 501 S 2018 FE 501 S 2019 FE 501 S 2020 FE 501 S 2021 FE 501 S 2022		
	Service	☐	Repair ☒ optional ☐
T14091 Ring wrench			
 T14091	Description/example of use Tool for loosening and tightening components (screw cap)		
	Technical data Hexagonal part: 45 mm (1.77 in) used with model TC 85 2018 TC 85 2019 TC 85 2020 TC 85 2021 TC 85 2022 SVARTPILEN 200 SVARTPILEN 250 VITPILEN 401 2020 VITPILEN 401 2021 SVARTPILEN 401 2020 SVARTPILEN 401 2021 SVARTPILEN 701 SVARTPILEN 701 STYLE 2019		
	Service	☐	Repair ☒ optional ☐
T14092 Mounting sleeve			
 T14092	Description/example of use Tool for mounting components (piston rod in the air cartridge)		
	Technical data Diameter: 34 mm (1.34 in) used with model TC 85 2018 TC 85 2019 TC 85 2020 TC 85 2021 TC 85 2022 TC 250 2018 TC 250 2019 TC 250 2020 TC 250 2021 TC 250 2022 FC 350 2018 FC 350 2019 FC 350 2020 FC 350 2021 FC 350 2022 FC 450 2018 FC 450 2019 FC 450 2020 FC 450 2021		

T14092 Mounting sleeve			
	FC 450 2022		
	TC 125 2018		
	TC 125 2019		
	TC 125 2020		
	TC 125 2021		
	TC 125 2022		
	FC 250 2018		
	FC 250 2019		
	FC 250 2020		
	FC 250 2021		
	FC 250 2022		
	FX 350 2018		
	FX 350 2019		
	FX 350 2020		
	FX 350 2021		
	FX 350 2022		
	FX 450 2018		
	FX 450 2019		
	FX 450 2020		
	FX 450 2021		
	FX 450 2022		
	TX 300 2018		
	TX 300 2019		
	TX 300i 2020		
	TX 300i 2021		
	TX 300i 2022		
	FS 450 2018		
	FS 450 2019		
	FS 450 2020		
	FS 450 2021		
	FS 450 2022		
	Service	☐	Repair ☒ optional ☐
T512 Protecting sleeve			
 T512	Description/example of use		
	Tool for protecting components (inner tube)		
	Technical data		
	Diameter: 43 mm (1.69 in)		
	used with model		
	TC 85		
	SVARTPILEN 125		
	VITPILEN 401		
	SVARTPILEN 401		
	Naked Mid		
	Service	☐	Repair ☒ optional ☐

T528S Mounting tool			
 T528S	Description/example of use Tool for holding when assembling fork legs Technical data Diameter: 43 mm (1.69 in) used with model TC 85 Naked Bike		
	Service	☐	Repair ☒ optional ☐
T531S Clamping stand			
 T531S	Description/example of use Tool for clamping components (air cartridge) Technical data Diameter: 38 mm (1.5 in) used with model TC 85 2018 TC 85 2019 TC 85 2020 TC 85 2021 TC 85 2022		
	Service	☐	Repair ☒ optional ☐
T612S Clamping stand			
 T612S	Description/example of use Tool for clamping components (outer tube, fork leg) Technical data Diameter: 40 mm (1.57 in) Diameter: 54 mm (2.13 in) used with model TC 85 Naked Bike		
	Service	☐	Repair ☒ optional ☐
T724S Mounting tool			
 T724S	Description/example of use Tool for holding when assembling fork legs Technical data Diameter: 35 mm (1.38 in) used with model TC 50 TC 65 Mini Electric		
	Service	☐	Repair ☒ optional ☐
T726 Protecting sleeve			
 T726	Description/example of use Tool for protecting components (inner tube) Technical data Diameter: 35 mm (1.38 in) used with model TC 50 TC 65 Mini Electric		
	Service	☐	Repair ☒ optional ☐

T727S Socket			
 T727S	Description/example of use		
	Tool for loosening and tightening components (sliding bushing support)		
	Technical data		
	Hexagonal part: 32 mm (1.26 in)		
	Hole diameter: 14 mm (0.55 in)		
	Pin diameter: 5 mm (0.2 in)		
	used with model		
TC 50			
TC 65			
Mini Electric			
Service	☐	Repair	☒
		optional	☐


20.1 Overview



Vacuum pump (T1240S) (📖 p. 142)

Spring tensioner (T14050S) (📖 p. 142)

T1240S Vacuum pump



T1240S

Description/example of use

Tool for bleeding and filling dampers

used with model

Mini
MX
Enduro E1
Enduro E2
Enduro E3
Cross Country
Supermoto
Street Enduro

matching tools / articles are


T1245S

Service ☐

Repair ☒

optional ☐

T14050S Spring tensioner



T14050S

Description/example of use

Tool for removing and installing springs

used with model


TC 65
701 ENDURO 2020
701 ENDURO 2021
701 ENDURO 2020
701 ENDURO 2021
701 ENDURO LR
Naked Bike

Service ☐

Repair ☒

optional ☐

20.2 Wall tool organizer overview



Hook wrench (T106S) (📖 p. 143)

Depth micrometer (T107S) (📖 p. 144)

Mounting sleeve (T1204) (📖 p. 144)

Calibrating unit (T1205) (📖 p. 144)

Pressing tool (T1206) (📖 p. 145)

Pressing tool (T1207S) (📖 p. 145)

Mounting sleeve (T1215) (📖 p. 145)

Pin wrench (T1218) (📖 p. 146)

Filling adapter (T1245S) (📖 p. 147)

Pressing tool (T129) (📖 p. 147)

Filling adapter (T1296) (📖 p. 148)

Pressing tool (T1504) (📖 p. 150)

Mounting tool (T150S) (📖 p. 150)

Mounting sleeve (T1515) (📖 p. 150)

Hook wrench (T1533) (📖 p. 152)

Mounting sleeve (T1554) (📖 p. 152)


Filling adapter (T1565) (📖 p. 153)

Filling tool (T170S1) (📖 p. 153)

Hook wrench (T304) (📖 p. 153)

Mounting sleeve (T313) (📖 p. 153)

T106S Hook wrench



T106S

Description/example of use

Tool for tensioning and releasing the springs (two units)

Technical data

Diameter: 68 ... 75 mm (2.68 ... 2.95 in)

used with model

TC 65 2020

TC 65 2021

TC 65 2022

TC 85 2014

TC 85 2015

TC 85 2016

TC 85 2017

TC 250 2014

TC 250 2015

TC 250 2016

FC 350 2014

FC 350 2015

FC 350 2016

FC 450 2014

FC 450 2015

FC 450 2016

TC 125 2014

TC 125 2015

TC 125 2016

FC 250 2014

FC 250 2015

FC 250 2016

TE 125

FE 250 2014

FE 250 2015

FE 250 2016

TE 250 2014

TE 250 2015

TE 250 2016

FE 350 2014

FE 350 2015

FE 350 2016

FE 350 S 2015



FE 350 S 2016




FE 450 2014


FE 450 2015



FE 450 2016


TE 300 2014

T106S Hook wrench			
	TE 300 2015 TE 300 2016 FE 501 2014 FE 501 2015 FE 501 2016 FE 501 S 2015 FE 501 S 2016 Supermoto / Dual Sport FS 450 2015 FS 450 2016 Street Enduro Naked Bike		
	Service	☒	Repair optional ☐
T107S Depth micrometer			
 T107S	Description/example of use Tool for determining distances		
	used with model Mini MX Enduro E1 Enduro E2 Enduro E3 Cross Country Supermoto Street Enduro		
	Service	☐	Repair optional ☒
T1204 Mounting sleeve			
 T1204	Description/example of use Tool for mounting and pressing out components (dirt scraper, DU bush)		
	Technical data Diameter: 25.5 ... 30.5 mm (1.004 ... 1.201 in) used with model Mini MX Enduro E1 Enduro E2 Enduro E3 Cross Country Supermoto Competition		
	Service	☐	Repair optional ☒
T1205 Calibrating unit			
 T1205	Description/example of use Tool for calibrating components (DU bush)		
	Technical data Diameter: 18 mm (0.71 in) used with model MX Enduro E1 Enduro E2		




T1205 Calibrating unit			
		Enduro E3 Cross Country Supermoto Competition	
		Service ☐	Repair ☒ optional ☐
T1206 Pressing tool			
 T1206		Description/example of use Tool for pressing in components (heim joint)	
		Technical data Diameter: 15 ... 30 mm (0.59 ... 1.18 in) used with model Mini MX Enduro E1 Enduro E2 Enduro E3 Cross Country Supermoto Street Enduro Naked Mid	
		Service ☐	Repair ☒ optional ☐
T1207S Pressing tool			
 T1207S		Description/example of use Tool for pressing in components (heim joint)	
		used with model Mini MX Enduro E1 Enduro E2 Enduro E3 Cross Country Supermoto Street Enduro Naked Mid	
		Service ☐	Repair ☒ optional ☐
T1215 Mounting sleeve			
 T1215		Description/example of use Tool for mounting components (seal ring retainer of piston rod)	
		Technical data Diameter: 18 mm (0.71 in) used with model TC 250 2014 TC 250 2015 TC 250 2016 FC 350 2014 FC 350 2015 FC 350 2016 FC 450 2014 FC 450 2015 FC 450 2016 TC 125 2014	

T1215 Mounting sleeve			
	TC 125 2015		
	TC 125 2016		
	FC 250 2014		
	FC 250 2015		
	FC 250 2016		
	TE 125		
	FE 250 2014		
	FE 250 2015		
	FE 250 2016		
	TE 250 2014		
	TE 250 2015		
	TE 250 2016		
	FE 350 2014		
	FE 350 2015		
	FE 350 2016		
	FE 350 S 2015		
	FE 350 S 2016		
	FE 450 2014		
	FE 450 2015		
	FE 450 2016		
	TE 300 2014		
	TE 300 2015		
	TE 300 2016		
	FE 501 2014		
	FE 501 2015		
	FE 501 2016		
	FE 501 S 2015		
	FE 501 S 2016		
	FS 450 2015		
	FS 450 2016		
	Service	☐	Repair ☒ optional ☐
T1218 Pin wrench			
  T1218	Description/example of use		
	Tool for removing components (rebound damping adjustment of piston rod)		
	Technical data		
	adjustable		
	Diameter: 3 mm (0.12 in)		
	used with model		
	TC 50		
	TC 65		
	TC 85 2014		
	TC 85 2015		
	TC 85 2016		
	TC 85 2017		
	Mini Electric		
	Service	☐	Repair ☒ optional ☐

T1245S Filling adapter			
 T1245S	Description/example of use Adapter for the vacuum pump, for filling and bleeding the damper for use with T1240S used with model TC 250 2021 TC 250 2022 FC 350 2021 FC 350 2022 FC 450 2021 FC 450 2022 TC 125 2021 TC 125 2022 FC 250 2021 FC 250 EU 2022 FC 250 US 2022 TE 150 2021 TE 150 2022 FE 250 2021 FE 250 2022 TE 250i 2021 TE 250i 2022 FE 350 2021 FE 350 2022 FE 350 S 2021 FE 350 S 2022 FE 450 2021 FE 450 2022 TE 300i 2021 TE 300i 2022 FE 501 2021 FE 501 2022 FE 501 S 2021 FE 501 S 2022 FX 350 2021 FX 350 2022 FX 450 2021 FX 450 2022 FS 450 2021 FS 450 2022		
	Service	☐	Repair
		☒	optional
		☐	
T129 Pressing tool			
 T129	Description/example of use Tool for pressing in components (heim joint) Technical data Diameter: 15 ... 30 mm (0.59 ... 1.18 in) used with model TC 50 2018 TC 50 2019 TC 50 2020 701 ENDURO 2016 701 ENDURO 2017		

T129 Pressing tool			
	701 ENDURO 2018 701 ENDURO 2019 701 ENDURO 2016 701 ENDURO 2017 701 ENDURO 2018 701 ENDURO 2019		
	Service	☐	Repair ☒ optional ☐
T1296 Filling adapter			
 T1296	Description/example of use Adapter for filling tool for filling the damper with nitrogen for use with T170S1		
	used with model TC 50 Mini Electric TC 250 2017 TC 250 2018 TC 250 2019 TC 250 2020 TC 250 2021 TC 250 2022 FC 350 2017 FC 350 2018 FC 350 2019 FC 350 2020 FC 350 2021 FC 350 2022 FC 450 2017 FC 450 2018 FC 450 2019 FC 450 2020 FC 450 2021 FC 450 2022 TC 125 2017 TC 125 2018 TC 125 2019 TC 125 2020 TC 125 2021 TC 125 2022 FC 250 2017 FC 250 2018 FC 250 2020 FC 250 2021 FC 250 2022 TE 150 TX 125 FE 250 2017 FE 250 2018 FE 250 2019 FE 250 2020 FE 250 2021 FE 250 2022		


T1296 Filling adapter			
	TE 250 2017		
	TE 250 2018		
	TE 250i 2019		
	TE 250i 2020		
	TE 250i 2021		
	TE 250i 2022		
	FE 350 2017		
	FE 350 2018		
	FE 350 2019		
	FE 350 2020		
	FE 350 2021		
	FE 350 2022		
	FE 350 S 2017		
	FE 350 S 2018		
	FE 350 S 2019		
	FE 350 S 2020		
	FE 350 S 2021		
	FE 350 S 2022		
	FE 450 2017		
	FE 450 2018		
	FE 450 2019		
	FE 450 2020		
	FE 450 2021		
	FE 450 2022		
	TE 300 2017		
	TE 300 2018		
	TE 300i 2019		
	TE 300i 2020		
	TE 300i 2021		
	TE 300i 2022		
	FE 501 2017		
	FE 501 2018		
	FE 501 2019		
	FE 501 2020		
	FE 501 2021		
	FE 501 2022		
	FE 501 S 2017		
	FE 501 S 2018		
	FE 501 S 2019		
	FE 501 S 2020		
	FE 501 S 2021		
	FE 501 S 2022		
	Cross Country		
	FS 450 2017		
	FS 450 2018		
	FS 450 2019		
	FS 450 2020		
	FS 450 2021		
	FS 450 2022		
	Service	☐	Repair ☒ optional ☐


T1504 Pressing tool			
 T1504	Description/example of use Tool for positioning components (DU bush in seal ring retainer)		
	Technical data Diameter: 18 mm (0.71 in) used with model MX Enduro E1 Enduro E2 Enduro E3 Cross Country Supersmoto Competition		
	Service ☐	Repair ☒	optional ☐
T150S Mounting tool			
 T150S	Description/example of use Tool for pressing in components (DU bush in seal ring retainer)		
	used with model TC 85 2020 TC 85 2021 TC 85 2022 MX Enduro E1 Enduro E2 Enduro E3 Cross Country Supersmoto Competition		
	Service ☐	Repair ☒	optional ☐
T1515 Mounting sleeve			
 T1515	Description/example of use Tool for mounting components (seal ring retainer on piston rod)		
	Technical data Diameter: 18 mm (0.71 in) used with model TC 85 2014 TC 85 2015 TC 85 2016 TC 85 2017 TC 85 2018 TC 250 2017 TC 250 2018 TC 250 2019 TC 250 2020 TC 250 2021 TC 250 2022 FC 350 2017 FC 350 2018 FC 350 2019 FC 350 2020 FC 350 2021 FC 350 2022 FC 450 2017		





T1515 Mounting sleeve



FC 450 2018
FC 450 2019
FC 450 2020
FC 450 2021
FC 450 2022
TC 125 2017
TC 125 2018
TC 125 2019
TC 125 2020
TC 125 2021
TC 125 2022
FC 250 2017
FC 250 2018
FC 250 2019
FC 250 2020
FC 250 2021
FC 250 2022
TE 150
TX 125
FE 250 2017
FE 250 2018
FE 250 2019
FE 250 2020
FE 250 2021
FE 250 2022
TE 250 2017
TE 250 2018
TE 250i 2019
TE 250i 2020
TE 250i 2021
TE 250i 2022
FE 350 2017
FE 350 2018
FE 350 2019
FE 350 2020
FE 350 2021
FE 350 2022
FE 350 S 2017
FE 350 S 2018
FE 350 S 2019
FE 350 S 2020
FE 350 S 2021
FE 350 S 2022
FE 450 2017
FE 450 2018
FE 450 2019
FE 450 2020
FE 450 2021
FE 450 2022
TE 300 2017
TE 300 2018
TE 300i 2019



T1515 Mounting sleeve						
	TE 300i 2020					
	TE 300i 2021					
	TE 300i 2022					
	FE 501 2017					
	FE 501 2018					
	FE 501 2019					
	FE 501 2020					
	FE 501 2021					
	FE 501 2022					
	FE 501 S 2017					
	FE 501 S 2018					
	FE 501 S 2019					
	FE 501 S 2020					
	FE 501 S 2021					
	FE 501 S 2022					
	Cross Country					
	Supermoto / Dual Sport					
	FS 450 2017					
	FS 450 2018					
	FS 450 2019					
	FS 450 2020					
	FS 450 2021					
	FS 450 2022					
	Street Enduro					
	Service	☐	Repair	☒	optional	☐

T1533 Hook wrench					
  T1533	Description/example of use				
	Tool for tensioning and releasing the springs (2 units)				
	Technical data				
	Diameter: 59 mm (2.32 in)				
	used with model				
	TC 50				
	TC 65 2020				
	TC 65 2021				
	TC 65 2022				
	Mini Electric				
Service	☒	Repair	☐	optional	☐

T1554 Mounting sleeve					
  T1554	Description/example of use				
	Tool for mounting components (seal ring retainer on piston rod)				
	Technical data				
	Diameter: 18 mm (0.71 in)				
	used with model				
	TC 85 2018				
	TC 85 2019				
	TC 85 2020				
	TC 85 2021				
	TC 85 2022				
Service	☐	Repair	☒	optional	☐


T1565 Filling adapter			
 T1565	Description/example of use Adapter for filling tool for filling the damper with nitrogen for use with T170S1 used with model TC 85 2018 TC 85 2019 TC 85 2020 TC 85 2021 TC 85 2022		
	Service	☐	Repair ☒ optional ☐
T170S1 Filling tool			
2x  3x   T170S1	Description/example of use Tool for filling the damper with nitrogen used with model Mini MX Enduro E1 Enduro E2 Enduro E3 Cross Country Supernoto Street Enduro matching tools / articles are T1296 T1565		
	Service	☐	Repair ☒ optional ☐
T304 Hook wrench			
  T304	Description/example of use Tool for tensioning and releasing the springs Technical data Diameter: 58 ... 62 mm (2.28 ... 2.44 in) used with model TC 50 TC 65 Mini Electric		
	Service	☒	Repair ☐ optional ☐
T313 Mounting sleeve			
  T313	Description/example of use Tool for mounting components (seal ring retainer on piston rod) Technical data Diameter: 14 mm (0.55 in) used with model TC 50 TC 65 Mini Electric		
	Service	☐	Repair ☒ optional ☐


1086001 Tool panel			
 1086001	Description/example of use Grey perforated panel for hanging tools, the number of tool panels required is determined by size of the tools and the specific local circumstances (one unit included) Technical data Wall mounting elements included: 9 pcs Width: 1,050 mm (41.34 in) Height: 1,000 mm (39.37 in)		
	matching tools / articles are 2086403 2286005 2286007		
	Service ☒	Repair ☐	optional ☐
1086002 Tool panel			
 1086002	Description/example of use Grey perforated panel for hanging tools, the number of tool panels required is determined by size of the tools and the specific local circumstances (one unit included) Technical data Wall mounting elements included: 6 pcs Width: 525 mm (20.67 in) Height: 1,000 mm (39.37 in)		
	matching tools / articles are 2086404 2286006 2286008		
	Service ☒	Repair ☐	optional ☐
2086403 Husqvarna Motorcycles header			
 2086403	Description/example of use Sticker with Husqvarna Motorcycles logo for sticking on the tool panel Technical data Width: 1,050 mm (41.34 in) Height: 98 mm (3.86 in)		
	for use with 1086001		
	Service ☒	Repair ☐	optional ☐
2086404 Husqvarna Motorcycles header			
 2086404	Description/example of use Sticker with Husqvarna Motorcycles logo for sticking on the tool panel Technical data Width: 525 mm (20.67 in) Height: 98 mm (3.86 in)		
	for use with 1086002		
	Service ☐	Repair ☐	optional ☐

2286005 GROUP header			
 2286005	Description/example of use Sticker with group logo for sticking on the tool panel Technical data for use with Width: 1,050 mm (41.34 in) 1086001 Height: 98 mm (3.86 in)		
	Service	☒	Repair optional ☐
2286006 GROUP header			
 2286006	Description/example of use Sticker with group logo for sticking on the tool panel Technical data for use with Width: 525 mm (20.67 in) 1086002 Height: 98 mm (3.86 in)		
	Service	☒	Repair optional ☐
2286007 WP header			
 2286007	Description/example of use Sticker with WP logo for sticking on the tool panel Technical data for use with Width: 1,050 mm (41.34 in) 1086001 Height: 98 mm (3.86 in)		
	Service	☒	Repair optional ☐
2286008 WP header			
 2286008	Description/example of use Sticker with WP logo for sticking on the tool panel Technical data for use with Width: 525 mm (20.67 in) 1086002 Height: 98 mm (3.86 in)		
	Service	☒	Repair optional ☐
4086601 Label kit			
 4086601	Description/example of use Sheet of labels including magnets covering all images of current tools which are supplied with brackets and magnetic labels. Scope changes continually as new tools are added		
	Spare parts		

4086602 WP label kit	
 4086602	Description/example of use Sheet of labels including magnets covering all images of current tools which are supplied with brackets and magnetic labels. Scope changes continually as new tools are added
	Spare parts
3287001 Clamp	
 3287001	Description/example of use Clamp for hanging tool (1 kit = 10 units), including screws and nuts Technical data For tool with diameter: 0 ... 20 mm (0 ... 0.79 in)
	Spare parts
3287002 Clamp	
 3287002	Description/example of use Clamp for hanging tool (1 kit = 10 units), including screws and nuts Technical data For tool with diameter: 15 ... 30 mm (0.59 ... 1.18 in)
	Spare parts
3287003 Clamp	
 3287003	Description/example of use Clamp for hanging tool (1 kit = 10 units), including screws and nuts Technical data For tool with diameter: 25 ... 40 mm (0.98 ... 1.57 in)
	Spare parts
3287004 Hook	
 3287004	Description/example of use Hook for hanging tool (1 kit = 10 units), including screws and nuts Technical data Lightweight version Hook length: 60 mm (2.36 in)
	Spare parts

3287005 Hook	
 3287005	Description/example of use Hook for hanging tool (1 kit = 10 units), including screws and nuts Technical data Lightweight version Hook length: 100 mm (3.94 in)
	Spare parts
3287006 Hook	
 3287006	Description/example of use Hook for hanging tool (1 kit = 5 units), including screws and nuts Technical data Heavy duty design Hook length: 120 mm (4.72 in)
	Spare parts
3287007 Hook	
 3287007	Description/example of use Hook for hanging tool (1 kit = 5 units), including screws and nuts Technical data Heavy duty design Hook length: 200 mm (7.87 in)
	Spare parts
3287008 Hook	
 3287008	Description/example of use Hook for hanging tool (1 set = 10 units), incl. screws and nuts Technical data Heavy duty, straight design Hook length: 100 mm (3.94 in)
	Spare parts
3287009 Hook	
 3287009	Description/example of use Hook for hanging tool (1 set = 5 units), incl. screws and nuts Technical data Rubberized version Hook length: 100 mm (3.94 in)
	Spare parts

3287010 Hook	
 3287010	Description/example of use Hook for hanging tool (1 set = 10 units), incl. screws and nuts Technical data U-shaped design Hook length: 100 mm (3.94 in)
	Spare parts
3287011 Magnet holder	
 3287011	Description/example of use Magnet for holding tool (1 set = 5 units) Technical data Diameter: 45 mm (1.77 in)
	Spare parts
3287012 Metal box	
 3287012	Description/example of use Small wire mesh tray for keeping tools, including screws and nuts Technical data Length: 160 mm (6.3 in) Width: 110 mm (4.33 in) Height: 50 mm (1.97 in)
	Spare parts
3287013 Clamp	
 3287013	Description/example of use Clamp for hanging tool (1 kit = 5 units), including screws and nuts Technical data For tool with diameter: 35 ... 70 mm (1.38 ... 2.76 in)
	Spare parts
3287014 Hook	
 3287014	Description/example of use Hook for hanging tool (1 kit = 5 units), including screws and nuts Technical data Angled version Hook length: 100 mm (3.94 in)
	Spare parts

3287015 Hook	
 3287015	Description/example of use Hook for hanging tool (1 set = 5 units), incl. screws and nuts Technical data Angled version Hook length: 200 mm (7.87 in)
	Spare parts
3287016 Metal box	
 3287016	Description/example of use Large wire mesh tray for keeping tools, incl. screws and nuts Technical data Length: 270 mm (10.63 in) Width: 150 mm (5.91 in) Height: 50 mm (1.97 in)
	Spare parts
3287017 Hook	
 3287017	Description/example of use Hook for hanging tool (1 set = 10 units), incl. screws and nuts Technical data Circular design Diameter: 35 mm (1.38 in)
	Spare parts
3287018 Hook	
 3287018	Description/example of use Hook for hanging tool (1 set = 10 units), incl. screws and nuts Technical data U-shaped design Hook length: 50 mm (1.97 in)
	Spare parts

Husqvarna	
Offroad	
Mini	
Mini MX	
Mini MX2 stroke	
TC 50	
TC 50 2017	
TC 50 2017	
TC 50 2018	
TC 50 2018	
TC 50 Mini 2018	
TC 50 2019	
TC 50 2019	
TC 50 Mini 2019	
TC 50 2020	
TC 50 2020	
TC 50 Mini 2020	
TC 50 2021	
TC 50 2021	
TC 50 MINI 2021	
TC 50 2022	
TC 50 2022	
TC 50 MINI 2022	
TC 65	
TC 65 2017	
TC 65 2017	
TC 65 2018	
TC 65 2018	
TC 65 2019	
TC 65 2019	
TC 65 2020	
TC 65 2020	
TC 65 2021	
TC 65 2021	
TC 65 2022	
TC 65 2022	
TC 85	
TC 85 2014	
TC 85 17/14 2014	
TC 85 19/16 2014	
TC 85 2015	
TC 85 17/14 2015	
TC 85 19/16 2015	
TC 85 2016	
TC 85 17/14 2016	
TC 85 19/16 2016	
TC 85 2017	
TC 85 17/14 2017	
TC 85 19/16 2017	
TC 85 2018	
TC 85 17/14 2018	
TC 85 19/16 2018	
TC 85 2019	

					TC 85 17/14 2019
					TC 85 19/16 2019
					TC 85 2020
					TC 85 17/14 2020
					TC 85 19/16 2020
					TC 85 2021
					TC 85 17/14 2021
					TC 85 19/16 2021
					TC 85 2022
					TC 85 17/14 2022
					TC 85 19/16 2022
				Mini Electric	
				EE5	
					EE5 2020
					EE 5 2020
					EE5 2021
					EE 5 2021
					EE5 2022
					EE 5 2022
			MX		
				MX1	
					MX1 2 stroke
					TC 250
					TC 250 2014
					TC 250 EU 2014
					TC 250 2015
					TC 250 2015
					TC 250 2016
					TC 250 2016
					TC 250 2017
					TC 250 2017
					TC 250 2018
					TC 250 2018
					TC 250 2019
					TC 250 2019
					TC 250 2020
					TC 250 2020
					TC 250 2021
					TC 250 2021
					TC 250 2022
					TC 250 2022
				MX1 4 stroke	
					FC 350
					FC 350 2014
					FC 350 EU 2014
					FC 350 2015
					FC 350 EU 2015
					FC 350 2016
					FC 350 EU 2016
					FC 350 2017
					FC 350 2017
					FC 350 2018
					FC 350 2018

				FC 350 2019
				FC 350 2019
				FC 350 2020
				FC 350 2020
				FC 350 2021
				FC 350 EU 2021
				FC 350 US 2021
				FC 350 2022
				FC 350 EU 2022
				FC 350 US 2022
				FC 450
				FC 450 2014
				FC 450 EU 2014
				FC 450 2015
				FC 450 EU 2015
				FC 450 US 2015
				FC 450 2016
				FC 450 2016
				FC 450 2017
				FC 450 2017
				FC 450 2018
				FC 450 2018
				FC 450 ROCKSTAR EDITION US 2018
				FC 450 2019
				FC 450 2019
				FC 450 Rockstar Edition 2019
				FC 450 2020
				FC 450 2020
				FC 450 ROCKSTAR EDITION US 2020
				FC 450 2021
				FC 450 EU 2021
				FC 450 US 2021
				FC 450 ROCKSTAR EDITION US 2021
				FC 450 2022
				FC 450 EU 2022
				FC 450 US 2022
				MX2
				MX2 2 stroke
				TC 125
				TC 125 2014
				TC 125 EU 2014
				TC 125 2015
				TC 125 EU 2015
				TC 125 2016
				TC 125 2016
				TC 125 2017
				TC 125 2017
				TC 125 2018
				TC 125 2018
				TC 125 2019
				TC 125 2019
				TC 125 2020
				TC 125 2020

				TC 125 2021
				TC 125 2021
				TC 125 2022
				TC 125 2022
				MX2 4 stroke
				FC 250
				FC 250 2014
				FC 250 EU 2014
				FC 250 2015
				FC 250 EU 2015
				FC 250 US 2015
				FC 250 2016
				FC 250 2016
				FC 250 2017
				FC 250 2017
				FC 250 2018
				FC 250 2018
				FC 250 2019
				FC 250 2019
				FC 250 2020
				FC 250 2020
				FC 250 2021
				FC 250 EU 2021
				FC 250 US 2021
				FC 250 2022
				FC 250 EU 2022
				FC 250 US 2022
				FC 250 ROCKSTAR EDITION US 2022
				Enduro
				Enduro E1
				Enduro E1 2 stroke
				TE 125
				TE 125 2014
				TE 125 EU 2014
				TE 125 2015
				TE 125 EU 2015
				TE 125 US 2015
				TE 125 2016
				TE 125 EU 2016
				TE 125 US 2016
				TE 150
				TE 150 2017
				TE 150 US 2017
				TE 150 2018
				TE 150 US 2018
				TE 150 2019
				TE 150 US 2019
				TE 150 2020
				TE 150i EU 2020
				TE 150i US 2020
				TE 150 2021
				TE 150i EU 2021
				TE 150i US 2021

				TE 150 2022
				TE 150i EU 2022
				TE 150i US 2022
				TX 125
				TX 125 2017
				TX 125 EU 2017
				TX 125 2018
				TX 125 EU 2018
				TX 125 2019
				TX 125 EU 2019
				Enduro E1 4 stroke
				FE 250
				FE 250 2014
				FE 250 EU 2014
				FE 250 AU 2014
				FE 250 US 2014
				FE 250 2015
				FE 250 EU 2015
				FE 250 AU 2015
				FE 250 US 2015
				FE 250 2016
				FE 250 EU 2016
				FE 250 AU 2016
				FE 250 US 2016
				FE 250 2017
				FE 250 EU 2017
				FE 250 AU 2017
				FE 250 US 2017
				FE 250 2018
				FE 250 EU 2018
				FE 250 AU 2018
				FE 250 US 2018
				FE 250 2019
				FE 250 EU 2019
				FE 250 AU 2019
				FE 250 US 2019
				FE 250 2020
				FE 250 EU 2020
				FE 250 2021
				FE 250 EU 2021
				FE 250 2022
				FE 250 EU 2022
				FE 250 CN 2022
				Enduro E2
				Enduro E2 2 stroke
				TE 250
				TE 250 2014
				TE 250 EU 2014
				TE 250 AU 2014
				TE 250 US 2014
				TE 250 2015
				TE 250 EU 2015
				TE 250 AU 2015

					TE 250 US 2015
					TE 250 2016
					TE 250 EU 2016
					TE 250 AU 2016
					TE 250 US 2016
					TE 250 2017
					TE 250 EU 2017
					TE 250 AU 2017
					TE 250 US 2017
					TE 250 2018
					TE 250i EU 2018
					TE 250 AU 2018
					TE 250 US 2018
					TE 250i US 2018
					TE 250i 2019
					TE 250i EU 2019
					TE 250i US 2019
					TE 250i 2020
					TE 250i EU 2020
					TE 250i US 2020
					TE 250i 2021
					TE 250i EU 2021
					TE 250i US 2021
					TE 250i 2022
					TE 250i EU 2022
					TE 250i US 2022
					TE 250i CN 2022
				Enduro E2 4 stroke	
				FE 350	
					FE 350 2014
					FE 350 EU 2014
					FE 350 AU 2014
					FE 350 US 2014
					FE 350 2015
					FE 350 EU 2015
					FE 350 AU 2015
					FE 350 US 2015
					FE 350 2016
					FE 350 EU 2016
					FE 350 AU 2016
					FE 350 US 2016
					FE 350 2017
					FE 350 EU 2017
					FE 350 AU 2017
					FE 350 2018
					FE 350 EU 2018
					FE 350 AU 2018
					FE 350 2019
					FE 350 EU 2019
					FE 350 AU 2019
					FE 350 2020
					FE 350 EU 2020
					FE 350 US 2020

					FE 350 2021
					FE 350 EU 2021
					FE 350 ROCKSTAR EDITION EU 2021
					FE 350 US 2021
					FE 350 2022
					FE 350 EU 2022
					FE 350 ROCKSTAR EDITION EU 2022
					FE 350 US 2022
					FE 350 S
					FE 350 S 2015
					FE 350S US 2015
					FE 350 S 2016
					FE 350 S US 2016
					FE 350 S 2017
					FE 350 US 2017
					FE 350 S 2018
					FE 350 US 2018
					FE 350 S 2019
					FE 350 US 2019
					FE 350 S 2020
					FE 350s US 2020
					FE 350 S 2021
					FE 350s US 2021
					FE 350 S 2022
					FE 350s US 2022
					FE 450
					FE 450 2014
					FE 450 EU 2014
					FE 450 AU 2014
					FE 450 2015
					FE 450 EU 2015
					FE 450 AU 2015
					FE 450 2016
					FE 450 EU 2016
					FE 450 AU 2016
					FE 450 US 2016
					FE 450 2017
					FE 450 EU 2017
					FE 450 AU 2017
					FE 450 US 2017
					FE 450 2018
					FE 450 EU 2018
					FE 450 AU 2018
					FE 450 US 2018
					FE 450 2019
					FE 450 EU 2019
					FE 450 AU 2019
					FE 450 US 2019
					FE 450 2020
					FE 450 EU 2020
					FE 450 2021
					FE 450 EU 2021
					FE 450 2022

FE 450 EU 2022

Enduro E3**Enduro E3 2 stroke****TE 300****TE 300 2014**

TE 300 EU 2014

TE 300 AU 2014

TE 300 US 2014

TE 300 2015

TE 300 EU 2015

TE 300 AU 2015

TE 300 US 2015

TE 300 2016

TE 300 EU 2016

TE 300 AU 2016

TE 300 US 2016

TE 300 2017

TE 300 EU 2017

TE 300 AU 2017

TE 300 US 2017

TE 300 2018

TE 300i EU 2018

TE 300 AU 2018

TE 300 US 2018

TE 300i 2019

TE 300i EU 2019

TE 300i US 2019

TE 300i 2020

TE 300i EU 2020

TE 300i US 2020

TE 300i JARVIS EDITION EU 2020

TE 300i 2021

TE 300i EU 2021

TE 300i US 2021

TE 300i ROCKSTAR EDITION EU 2021

TE 300i ROCKSTAR EDITION US 2021

TE 300i 2022

TE 300i AR 2022

TE 300i EU 2022

TE 300i US 2022

TE 300i ROCKSTAR EDITION EU 2022

TE 300i ROCKSTAR EDITION US 2022

Enduro E3 4 stroke**FE 501****FE 501 2014**

FE 501 EU 2014

FE 501 AU 2014

FE 501 US 2014

FE 501 2015

FE 501 EU 2015

FE 501 AU 2015

FE 501 US 2015

FE 501 2016

					FE 501 EU 2016
					FE 501 AU 2016
					FE 501 US 2016
					FE 501 2017
					FE 501 EU 2017
					FE 501 AU 2017
					FE 501 2018
					FE 501 EU 2018
					FE 501 AU 2018
					FE 501 2019
					FE 501 EU 2019
					FE 501 AU 2019
					FE 501 2020
					FE 501 EU 2020
					FE 501 US 2020
					FE 501 2021
					FE 501 EU 2021
					FE 501 US 2021
					FE 501 2022
					FE 501 EU 2022
					FE 501 US 2022
				FE 501 S	
					FE 501 S 2015
					FE 501S US 2015
					FE 501 S 2016
					FE 501 S US 2016
					FE 501 S 2017
					FE 501 US 2017
					FE 501 S 2018
					FE 501 US 2018
					FE 501 S 2019
					FE 501 US 2019
					FE 501 S 2020
					FE 501s US 2020
					FE 501 S 2021
					FE 501s US 2021
					FE 501 S 2022
					FE 501s US 2022
			Rally		
				Rally 4 stroke	
				FR 450 RALLY	
					FR 450 RALLY 2016
					FR 450 RALLY 2016
					FR 450 RALLY 2017
					FR 450 RALLY 2017
					FR 450 RALLY 2019
					FR 450 RALLY 2019
					FR 450 RALLY 2020
					FR 450 Rally 2020
					FR 450 RALLY 2021
					FR 450 RALLY 2021
					FR 450 RALLY 2022
					FR 450 RALLY 2022

Street	Cross Country			
	Cross Country E2			
	Cross Country E2 4 stroke			
	FX 350			
	FX 350 2017			
	FX 350 2017			
	FX 350 2018			
	FX 350 2018			
	FX 350 2019			
	FX 350 2019			
	FX 350 2020			
	FX 350 2020			
	FX 350 2021			
	FX 350 2021			
	FX 350 2022			
	FX 350 2022			
	FX 450			
	FX 450 2017			
	FX 450 2017			
	FX 450 2018			
	FX 450 2018			
	FX 450 2019			
	FX 450 2019			
	FX 450 2020			
	FX 450 2020			
	FX 450 2021			
	FX 450 2021			
	FX 450 2022			
	FX 450 2022			
	Cross Country E3			
	Cross Country E3 2 stroke			
	TX 300			
	TX 300 2017			
	TX 300 2017			
	TX 300 2018			
	TX 300 2018			
	TX 300 2019			
	TX 300 2019			
	TX 300i 2020			
	TX 300i 2020			
	TX 300i 2021			
	TX 300i 2021			
	TX 300i 2022			
	TX 300i 2022			
Supermoto				
Supermoto / Dual Sport				
Supermoto / Dual Sport SM Mid				
701 SUPERMOTO				
701 ENDURO 2016				
701 SUPERMOTO EU 2016				
701 SUPERMOTO AU 2016				
701 SUPERMOTO US 2016				

701 ENDURO 2017				
701 SUPERMOTO EU 2017				
701 SUPERMOTO US 2017				
701 ENDURO 2018				
701 Supermoto EU 2018				
701 Supermoto US 2018				
701 ENDURO 2019				
701 Supermoto EU 2019				
701 Supermoto US 2019				
701 ENDURO 2020				
701 Supermoto EU 2020				
701 Supermoto US 2020				
701 ENDURO 2021				
701 SUPERMOTO EU 2021				
701 SUPERMOTO US 2021				
Supermoto Competition				
Supermoto Competition 4 stroke				
FS 450				
FS 450 2015				
FS 450 2015				
FS 450 2016				
FS 450 2016				
FS 450 2017				
FS 450 2017				
FS 450 2018				
FS 450 2018				
FS 450 2019				
FS 450 2019				
FS 450 2020				
FS 450 2020				
FS 450 2021				
FS 450 2021				
FS 450 2022				
FS 450 2022				
Street Enduro				
Dual Sport Enduro				
Dual Sport Enduro Mid				
701 ENDURO				
701 ENDURO 2016				
701 ENDURO EU 2016				
701 ENDURO AU 2016				
701 ENDURO US 2016				
701 ENDURO 2017				
701 ENDURO EU 2017				
701 ENDURO US 2017				
701 ENDURO 2018				
701 Enduro EU 2018				
701 Enduro US 2018				
701 ENDURO 2019				
701 Enduro EU 2019				
701 Enduro US 2019				
701 ENDURO 2020				
701 Enduro EU 2020				

					701 Enduro US 2020
					701 ENDURO 2021
					701 ENDURO EU 2021
					701 ENDURO US 2021
					701 ENDURO LR
					701 ENDURO LR 2020
					701 Enduro LR EU 2020
					701 Enduro LR US 2020
					Naked Bike
					Naked Bike Naked
					Naked Small
					SVARTPILEN 125
					SVARTPILEN 125 2021
					SVARTPILEN 125 EU 2021
					SVARTPILEN 125 B.D. EU 2021
					SVARTPILEN 200
					SVARTPILEN 200 2020
					SVARTPILEN 200 AR 2020
					SVARTPILEN 200 ASEAN 2020
					SVARTPILEN 200 BR 2020
					SVARTPILEN 200 CO 2020
					SVARTPILEN 200 EU 2020
					SVARTPILEN 200 MY 2020
					SVARTPILEN 200 PH 2020
					SVARTPILEN 200 TH 2020
					SVARTPILEN 200 2021
					SVARTPILEN 200 AR 2021
					SVARTPILEN 200 ASEAN 2021
					SVARTPILEN 200 CO 2021
					SVARTPILEN 200 EU 2021
					SVARTPILEN 200 PH 2021
					SVARTPILEN 200 TH 2021
					SVARTPILEN 250
					SVARTPILEN 250 2020
					SVARTPILEN 250 ASEAN 2020
					SVARTPILEN 250 EU 2020
					SVARTPILEN 250 JP 2020
					SVARTPILEN 250 TH 2020
					SVARTPILEN 250 2021
					SVARTPILEN 250 ASEAN 2021
					SVARTPILEN 250 EU 2021
					SVARTPILEN 250 JP 2021
					SVARTPILEN 250 TH 2021
					VITPILEN 401
					VITPILEN 401 2018
					VITPILEN 401 EU 2018
					VITPILEN 401 US 2018
					VITPILEN 401 2019
					VITPILEN 401 EU 2019
					VITPILEN 401 US 2019
					VITPILEN 401 2020
					VITPILEN 401 AR 2020
					VITPILEN 401 AU 2020

VITPILEN 401 CN 2020
 VITPILEN 401 CO 2020
 VITPILEN 401 EU 2020
 VITPILEN 401 B.D. EU 2020
 VITPILEN 401 JP 2020
 VITPILEN 401 PH 2020
 VITPILEN 401 TH 2020
 VITPILEN 401 US 2020

VITPILEN 401 2021

VITPILEN 401 AR 2021
 VITPILEN 401 AU 2021
 VITPILEN 401 CN 2021
 VITPILEN 401 CO 2021
 VITPILEN 401 EU 2021
 VITPILEN 401 B.D. EU 2021
 VITPILEN 401 JP 2021
 VITPILEN 401 PH 2021
 VITPILEN 401 TH 2021
 VITPILEN 401 US 2021

SVARTPILEN 401

SVARTPILEN 401 2018

SVARTPILEN 401 EU 2018
 SVARTPILEN 401 US 2018
 SVARTPILEN 401 AR 2018

SVARTPILEN 401 2019

SVARTPILEN 401 EU 2019
 SVARTPILEN 401 US 2019
 SVARTPILEN 401 AR 2019

SVARTPILEN 401 2020

SVARTPILEN 401 AR 2020
 SVARTPILEN 401 AU 2020
 SVARTPILEN 401 BR 2020
 SVARTPILEN 401 CO 2020
 SVARTPILEN 401 B.D. EU 2020
 SVARTPILEN 401 EU 2020
 SVARTPILEN 401 JP 2020
 SVARTPILEN 401 PH 2020
 SVARTPILEN 401 TH 2020
 SVARTPILEN 401 US 2020

SVARTPILEN 401 2021

SVARTPILEN 401 AR 2021
 SVARTPILEN 401 AU 2021
 SVARTPILEN 401 CN 2021
 SVARTPILEN 401 CO 2021
 SVARTPILEN 401 B.D. EU 2021
 SVARTPILEN 401 EU 2021
 SVARTPILEN 401 JP 2021
 SVARTPILEN 401 PH 2021
 SVARTPILEN 401 TH 2021
 SVARTPILEN 401 US 2021

Naked Mid

VITPILEN 701


VITPILEN 701 2018

						VITPILEN 701 EU 2018
						VITPILEN 701 US 2018
						VITPILEN 701 2019
						VITPILEN 701 EU 2019
						VITPILEN 701 US 2019
						VITPILEN 701 2020
						VITPILEN 701 EU 2020
						VITPILEN 701 US 2020
						SVARTPILEN 701
						SVARTPILEN 701 2019
						SVARTPILEN 701 EU 2019
						SVARTPILEN 701 US 2019
						SVARTPILEN 701 2020
						SVARTPILEN 701 EU 2020
						SVARTPILEN 701 US 2020
						SVARTPILEN 701 STYLE 2019
						SVARTPILEN 701 STYLE EU 2019



3403044en

21.10.2021



Husqvarna Motorcycles GmbH
Stallhofnerstraße 3 | 5230 Mattighofen | Austria
www.husqvarna-motorcycles.com



Photo: Mitterbauer/KISKA,
Husqvarna Motorcycles GmbH